

Datasheet: VPA00362 BATCH NUMBER 160309

Description:	RABBIT ANTI RPL10	
Specificity:	RPL10	
Format:	Purified	
Product Type:	PrecisionAb Polyclonal	
Isotype:	Polyclonal IgG	
Quantity:	100 μΙ	

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Western Blotting				1/1000

The PrecisionAb label is reserved for antibodies that meet the defined performance criteria within Bio-Rad's ongoing antibody validation programme. Click here to learn how we validate our PrecisionAb range. Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Further optimization may be required dependent on sample type.

Target Species	Human
Species Cross Reactivity	Reacts with: Mouse N.B. Antibody reactivity and working conditions may vary between species. Cross reactivity is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information.
Product Form	Purified IgG - liquid
Preparation	Rabbit polyclonal antibody purified by affinity chromatography
Buffer Solution	Phosphate buffered saline
Preservative Stabilisers	0.09% Sodium Azide (NaN ₃)

Immunogen	KLH-conjugated synthetic peptide corresponding to aa 17-45 of human RPL10
External Database Links	UniProt: P27635 Related reagents Entrez Gene: 6134 RPL10 Related reagents
Synonyms	DXS648E, QM
Specificity	Rabbit anti Human RPL10 antibody recognizes RPL10, also known as 60S ribosomal protein L10, Wilms tumor-related protein, laminin receptor homolog and tumor suppressor QM.
	Ribosomes, the organelles that catalyze protein synthesis, consist of a small 40S subunit and a large 60S subunit. Together these subunits are composed of four RNA species and approximately 80 structurally distinct proteins. The RPL10 gene encodes a ribosomal protein that is a component of the 60S subunit. RPL10 belongs to the L10E family of ribosomal proteins. It is located in the cytoplasm. <i>In vitro.</i> , the chicken protein can bind to c-Jun repress c-Jun-mediated transcriptional activation. Alternative splicing results in multiple transcript variants. RPL10 also uses multiple polyA signals, with the 3'-most polyA signal overlapping the deoxyribonuclease I-like 1 gene on the opposite strand. RPL10 is co-transcribed with the small nucleolar RNA gene U70, located in its fifth intron. As is typical for genes encoding ribosomal proteins, there are multiple processed pseudogenes of RPL10 dispersed through the genome (provided by RefSeq, Feb 2012).
W	validated for western blotting using whole cell lysates.
Western Blotting	Anti RPL10 detects a band of approximately 25 kDa in NIH/3T3 cell lysate
Storage	Store undiluted at -20°C, avoiding repeated freeze thaw cycles
Guarantee	12 months from date of despatch
Acknowledgements	PrecisionAb is a trademark of Bio-Rad Laboratories.
Health And Safety Information	Material Safety Datasheet documentation #10040 available at: https://www.bio-rad-antibodies.com/SDS/VPA00362 Antibody (10040)
Regulatory	For research purposes only

Related Products

Recommended Secondary Antibodies

Goat Anti Rabbit IgG (H/L) (STAR208...) HRP

North & South Tel: +1 800 265 7376 Worldwide Tel: +44 (0)1865 852 700 Europe Tel: +49 (0) 89 8090 95 21

America Fax: +1 919 878 3751 Fax: +44 (0)1865 852 739 Fax: +49 (0) 89 8090 95 50 To Email: antibody_sales_us@bio-rad.com Email: antibody_sales_uk@bio-rad.com Email: antibody_sales_de@bio-rad.com

batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M370712:200529'

Printed on 18 Jan 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint