Datasheet: VPA00377 BATCH NUMBER 160309

Description:	RABBIT ANTI MAP3K12	
Specificity:	MAP3K12	
Format:	Purified	
Product Type:	PrecisionAb Polyclonal	
lsotype:	Polyclonal IgG	
Quantity:	100 µl	

Product Details

Applications	This product has been reported to work in the following applications. This information derived from testing within our laboratories, peer-reviewed publications or person communications from the originators. Please refer to references indicated for furt information. For general protocol recommendations, please visit <u>www.bio-</u>							
	rad-antibodies.com/protocols.							
		Yes	No	Not Determined	Suggested Dilution			
	Western Blotting	•			1/1000			
	criteria within Bio-Ra how we validate our F	d's ongoin PrecisionA nique this o	i g antibo I b range. does not r	dy validation program Where this product hat necessarily exclude its	e defined performance ame. Click <u>here</u> to learn s not been tested for use in such procedures.			
Target Species	Human							
Species Cross Reactivity	Reacts with: Mouse N.B. Antibody reactivity and working conditions may vary between species. Cross reactivity is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information.							
Product Form	Purified IgG - liquid							
Preparation	Rabbit polyclonal antib	ody purified	d by affinit	ty chromatography				
Buffer Solution	Phosphate buffered sa	line						
Preservative Stabilisers	0.09% Sodium Azide (I	NaN ₃)						

External Database				
Links	UniProt:			
	Q12852 Related reagents			
	Entrez Gene:			
	7786 MAP3K12 Related reagents			
Synonyms	ZPK			
Specificity	Rabbit anti Human MAP3K12 antibody recognizes MAP3K12, also known as MEKK12,			
	MAPK-upstream kinase, mitogen-activated protein kinase kinase kinase 12, leucine zipper			
	protein kinase, mixed lineage kinase and protein kinase MUK.			
	The MAP3K12 gene encodes a member of the serine/threonine protein kinase family. This			
	kinase contains a leucine-zipper domain and is predominately expressed in neuronal cells.			
	The phosphorylation state of this kinase in synaptic terminals was shown to be regulated			
	by membrane depolarization via calcineurin. This kinase forms heterodimers with leucine			
	zipper containing transcription factors, such as cAMP responsive element binding protein			
	(CREB) and MYC, and thus may play a regulatory role in PKA or retinoic acid induced			
	neuronal differentiation. Alternatively spliced transcript variants encoding different proteins			
	have been described (provided by RefSeq, Jul 2010).			
	Rabbit anti Human MAP3K12 antibody detects a band of 97 kDa. The antibody has been			
	extensively validated for western blotting using whole cell lysates.			
Western Blotting	Anti MAP3K12 detects a band of approximately 97 kDa in HEK293 cell lysate			
Storage	Store undiluted at -20°C, avoiding repeated freeze thaw cycles			
Guarantee	12 months from date of despatch			
Acknowledgements	PrecisionAb is a trademark of Bio-Rad Laboratories.			
Health And Safety	Material Safety Datasheet documentation #10040 available at:			
Information	https://www.bio-rad-antibodies.com/SDS/VPA00377			
	10040			
Regulatory	For research purposes only			

Related Products

Recommended Secondary Antibodies

Goat Anti Rabbit IgG (H/L) (STAR208...) HRP

North & South	Tel: +1 800 265 7376	Worldwide	Tel: +44 (0)1865 852 700	Europe	Tel: +49 (0) 89 8090 95 21
America	Fax: +1 919 878 3751		Fax: +44 (0)1865 852 739		Fax: +49 (0) 89 8090 95 50
	Email: antibody_sales_us@bio	-rad.com	Email: antibody_sales_uk@bic	-rad.com	Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M374244:201027'

Printed on 13 Aug 2023

© 2023 Bio-Rad Laboratories Inc | Legal | Imprint