

Datasheet: VPA00377

Description:	RABBIT ANTI MAP3K12
Specificity:	MAP3K12
Format:	Purified
Product Type:	PrecisionAb Polyclonal
Isotype:	Polyclonal IgG
Quantity:	100 µl

Product Details

Applications	This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <u>www.bio-rad-antibodies.com/protocols</u> .							
		Yes	No	Not Determined	Suggested Dilution			
	Western Blotting	•			1/1000			
	The PrecisionAb label criteria within Bio-Rad				•			
	how we validate our Pr	ecisionA	b range. \	Where this product has	s not been tested for			
	use in a particular techni Further optimization may	•		•	use in such procedures.			
Target Species	Human							
Species Cross Reactivity	Reacts with: Mouse N.B. Antibody reactivity and working conditions may vary between species. Cross reactivity is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information.							
Product Form	Purified IgG - liquid.							
Preparation	Rabbit polyclonal antiboo	dy purified	by affinity	/ chromatography.				
Buffer Solution	Phosphate buffered salir	ne.						
Preservative Stabilisers	0.09% Sodium Azide (Na	aN ₃).						
Immunogen	KLH-conjugated synthet	ic peptide	correspor	nding to aa 828-859 of	human MAP3K12			

External Database Links	UniProt: Q12852 Related reagents Entrez Gene: 7786 MAP3K12 Related reagents			
Synonyms	ZPK			
Specificity	Rabbit anti Human MAP3K12 antibody recognizes MAP3K12, also known as MEKK12 MAPK-upstream kinase, mitogen-activated protein kinase kinase kinase 12, leucine zipp protein kinase, mixed lineage kinase and protein kinase MUK.			
	The MAP3K12 gene encodes a member of the serine/threonine protein kinase family. This kinase contains a leucine-zipper domain and is predominately expressed in neuronal cells. The phosphorylation state of this kinase in synaptic terminals was shown to be regulated by membrane depolarization via calcineurin. This kinase forms heterodimers with leucine zipper containing transcription factors, such as cAMP responsive element binding protein (CREB) and MYC, and thus may play a regulatory role in PKA or retinoic acid induced neuronal differentiation. Alternatively spliced transcript variants encoding different proteins have been described (provided by RefSeq, Jul 2010). Rabbit anti Human MAP3K12 antibody detects a band of 97 kDa. The antibody has been extensively validated for western blotting using whole cell lysates.			
Western Blotting	Anti MAP3K12 detects a band of approximately 97 kDa in HEK293 cell lysate.			
Storage	Store undiluted at -20°C, avoiding repeated freeze thaw cycles			
Guarantee	12 months from date of despatch.			
Acknowledgements	PrecisionAb is a trademark of Bio-Rad Laboratories.			
Health And Safety Information	Material Safety Datasheet documentation #10040 available at: https://www.bio-rad-antibodies.com/SDS/VPA00377 10040			
Regulatory	For research purposes only.			

Related Products

Recommended Secondary Antibodies

Goat Anti Rabbit IgG (H/L) (STAR208...) HRP

North & South	Tel: +1 800 265 7376	Worldwide	Tel: +44 (0)1865 852 700	Europe	Tel: +49 (0) 89 8090 95 21
America	Fax: +1 919 878 3751		Fax: +44 (0)1865 852 739		Fax: +49 (0) 89 8090 95 50
	Email: antibody_sales_us@bio-rad.com		Email: antibody_sales_uk@bio-rad.com		Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M401450:220715'

© 2023 Bio-Rad Laboratories Inc | Legal | Imprint