

Datasheet: VPA00380KT

Description:	EIF3B ANTIBODY WITH CONTROL LYSATE
Specificity:	EIF3B
Format:	Purified
Product Type:	PrecisionAb Polyclonal
Isotype:	Polyclonal IgG
Quantity:	2 Westerns

Product Details

Applications	This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <u>www.bio-rad-antibodies.com/protocols</u> .							
	Western Blotting	-			1/1000			
	PrecisionAb antibodies application. The antibod product has not been tes exclude its use in such p sample type.	ly has bee ited for use	en validate e in a part	ed at the suggested dilu icular technique this d	ution. Where this oes not necessarily			
Target Species	Human							
Species Cross Reactivity	Reacts with: Mouse N.B. Antibody reactivity a reactivity is derived from personal communication further information.	testing wit	thin our la	boratories, peer-review	wed publications or			
Product Form	Purified IgG - liquid							
Preparation	20µl Rabbit polyclonal ar	ntibody pu	rified by a	ffinity chromatography				
Buffer Solution	Phosphate buffered salin	e						
Preservative Stabilisers	0.09% Sodium Azide (Na 2% Sucrose	aN ₃)						
Immunogen	Synthetic peptide corres	ponding to	the C-ter	minal region of human	EIF3B			

External Database	UniProt:
Links	
	P55884 Related reagents
	Entrez Gene:
	8662 EIF3B Related reagents
Synonyms	EIF3S9
Specificity	Rabbit anti Human EIF3B antibody recognizes the EIF3B, also known as eIF3 p110, eIF3 p116, eukaryotic translation initiation factor 3, subunit 9, hPrt1 and PRT1.
	Rabbit anti Human EIF3B antibody detects a band of 116 kDa. This antibody has been extensively validated for western blotting using whole cell lysates.
Western Blotting	Anti EIF3B detects a band of approximately 116 kDa in NIH/3T3 cell lysate
Instructions For Use	Please refer to the PrecisionAb western blotting protocol. For additional information on
	secondary antibody dilution and exposure time see product web page.
	becondary anabody anaton and expectate ante dee product web page.
Lysate Composition	400µg NIH/3T3 lysate lyophilized in RIPA buffer
Lysate Reconstitution	- If using DDT reconstitute the lyophilized lysate with 190µl DI H ₂ O, add 200µl 2x Laemml
	Sample Buffer and 10µl 2M DTT.
	- If using BME reconstitute the lyophilized lysate with 180 μ l DI H ₂ O, add 200 μ l 2x Laemm
	Sample Buffer and 20µl BME.
	Heat at 95°C for 5 minutes. For 10 well mini gels load 25µl. For other gel and comb
	formats please refer to the PrecisionAb western blotting protocol.
Storage	Antibody: Store undiluted at -20°C, avoiding repeated freeze thaw cycles.
	Lysate: Store lyophilized lysate at -20°C. After reconstitution aliquot and store at -20°C for
	up to 3 months or at -80°C for longer term storage.
	up to 5 months of at -60°C for longer term storage.
Guarantee	As supplied, 12 months from date of despatch
Acknowledgements	PrecisionAb™ is a trademark of Bio-Rad Laboratories
Health And Safety	Material Safety Datasheet documentation #10045 #10561 available at:
Information	Antibody (10045): https://www.bio-rad-antibodies.com/uploads/MSDS/10045.pdf
	Lysate Material (10561): <u>https://www.bio-rad-antibodies.com/uploads/MSDS/10561.pdf</u>
Regulatory	For research purposes only

Related Products

Recommended Secondary Antibodies

Goat Anti Rabbit IgG (H/L) (STAR208...) HRP

North & South	Tel: +1 800 265 7376	Worldwide	Tel: +44 (0)1865 852 700	Europe	Tel: +49 (0) 89 8090 95 21	
America	Fax: +1 919 878 3751		Fax: +44 (0)1865 852 739		Fax: +49 (0) 89 8090 95 50	From
	Email: antibody_sales_us@bio-rad.com		Email: antibody_sales_uk@bio-rad.com		Email: antibody_sales_de@bio-rad.march	

15, 2021, we will no longer supply printed datasheets with our products. Look out for updates on how to access your digital version at bio-rad-antibodies.com 'M351061:190315'

Printed on 10 Feb 2021

© 2021 Bio-Rad Laboratories Inc | Legal | Imprint