

Datasheet: VPA00391KT

Description:	CKAP4 ANTIBODY WITH CONTROL LYSATE		
Specificity:	CKAP4		
Format:	Purified		
Product Type:	PrecisionAb Polyclonal		
Isotype:	Polyclonal IgG		
Quantity:	2 Westerns		

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Western Blotting	•			1/1000

PrecisionAb antibodies have been extensively <u>validated for the western blot</u> <u>application.</u> The antibody has been validated at the suggested dilution. Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Further optimization may be required dependant on sample type.

Human		
Purified IgG - liquid		
20μl Rabbit polyclonal antibody purified by affinity chromatography		
Phosphate buffered saline		
0.09% Sodium Azide (NaN ₃) 2% Sucrose		
Synthetic peptide corresponding to the central region of human CKAP		
UniProt: Q07065 Related reagents		

Entrez Gene:

Specificity	Rabbit anti Human CKAP4 antibody recognizes the CKAP4, also known as cytoskeleton-associated protein 4, 63 kDa cytoskeleton-linking membrane protein or endoplasmic reticulum/Golgi intermediate compartment, type-II transmembrane protein p63.
	Rabbit anti Human CKAP4 antibody detects a band of 64 kDa. The antibody has been extensively validated for western blotting using whole cell lysates.
Western Blotting	Anti CKAP4 detects a band of approximately 64 kDa in HEK293 cell lysate
Instructions For Use	Please refer to the <u>PrecisionAb western blotting protocol.</u> For additional information on secondary antibody dilution and exposure time see product web page.
Lysate Composition	400μg HEK293 lysate lyophilized in RIPA buffer
Lysate Reconstitution	 If using DDT reconstitute the lyophilized lysate with 190μl DI H₂O, add 200μl 2x Laemmli Sample Buffer and 10μl 2M DTT. If using BME reconstitute the lyophilized lysate with 180μl DI H₂O, add 200μl 2x Laemmli Sample Buffer and 20μl BME. Heat at 95°C for 5 minutes. For 10 well mini gels load 25μl. For other gel and comb formats please refer to the PrecisionAb western blotting protocol.
Storage	Antibody: Store undiluted at -20°C, avoiding repeated freeze thaw cycles. Lysate: Store lyophilized lysate at -20°C. After reconstitution aliquot and store at -20°C for
	up to 3 months or at -80°C for longer term storage.
Guarantee	As supplied, 12 months from date of despatch
Acknowledgements	PrecisionAb™ is a trademark of Bio-Rad Laboratories
Health And Safety Information	Material Safety Datasheet documentation #10045 #10561 available at: Antibody (10045): https://www.bio-rad-antibodies.com/uploads/MSDS/10045.pdf Lysate Material (10561): https://www.bio-rad-antibodies.com/uploads/MSDS/10561.pdf
Regulatory	For research purposes only

Related Products

Recommended Secondary Antibodies

Goat Anti Rabbit IgG (H/L) (STAR208...) HRP

North & South Tel: +1 800 265 7376 America Fax: +1 919 878 3751

Worldwide

Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Europe

Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50

Email: antibody_sales_us@bio-rad.com

Email: antibody_sales_uk@bio-rad.com

Email: antibody_sales_de@bio-rad.com

From March 15, 2021, we will no longer supply printed datasheets with our products.

Look out for updates on how to access your digital version at bio-rad-antibodies.com 'M350988:190315'

Printed on 10 Feb 2021

© 2021 Bio-Rad Laboratories Inc | Legal | Imprint