

Datasheet: VPA00416KT

Description:	CBFA2T2 ANTIBODY WITH CONTROL LYSATE
Specificity:	CBFA2T2
Format:	Purified
Product Type:	PrecisionAb Polyclonal
Isotype:	Polyclonal IgG
Quantity:	2 Westerns

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Western Blotting				1/1000

PrecisionAb antibodies have been extensively <u>validated for the western blot</u> <u>application.</u> The antibody has been validated at the suggested dilution. Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Further optimization may be required dependant on sample type.

Target Species	Human
Product Form	Purified IgG - liquid
Preparation	20μl Rabbit polyclonal antibody purified by affinity chromatography
Buffer Solution	Phosphate buffered saline
Preservative Stabilisers	0.09% Sodium Azide (NaN ₃)
Immunogen	KLH-conjugated synthetic peptide corresponding to aa 1-29 of human CBFA2T2
External Database Links	UniProt: O43439 Related reagents

O43439 Related reagents

Entrez Gene:

9139 CBFA2T2 Related reagents

Synonyms	EHT, MTGR1
Specificity	Rabbit anti Human CBFA2T2 antibody recognizes CBFA2T2, also known as core-binding factor runt domain alpha subunit 2 translocated to 2, ETO homolog on chromosome 20, MTG8-related protein 1 and myeloid translocation gene-related protein 1
	In acute myeloid leukemia, especially in the M2 subtype, the t(8;21)(q22;q22) translocation is one of the most frequent karyotypic abnormalities. The translocation produces a chimeric gene made up of the 5'-region of the RUNX1 (AML1) gene fused to the 3'-region of the CBFA2T1 (MTG8) gene. The chimeric protein is thought to associate with the nuclear corepressor/histone deacetylase complex to block hematopoietic differentiation. The protein encoded by the CBFA2T2 gene binds to the AML1-MTG8 complex and may be important in promoting leukemogenesis. Several transcript variants are thought to exist for CBFA2T2, but the full-length natures of only three have been described (provided by RefSeq, Jul 2008).
	Rabbit anti Human CBFA2T2 antibody detects a band of 67 kDa. The antibody has been extensively validated for western blotting using whole cell lysates.
Western Blotting	Anti CBFA2T2 detects a band of approximately 67 kDa in HeLa cell lysate
Instructions For Use	Please refer to the <u>PrecisionAb western blotting protocol.</u> For additional information on secondary antibody dilution and exposure time see product web page.
Lysate Composition	400μg HeLa lysate lyophilized in RIPA buffer
Lysate Reconstitution	- If using DDT reconstitute the lyophilized lysate with 190μl DI H ₂ O, add 200μl 2x Laemmli Sample Buffer and 10μl 2M DTT If using BME reconstitute the lyophilized lysate with 180μl DI H ₂ O, add 200μl 2x Laemmli Sample Buffer and 20μl BME. Heat at 95°C for 5 minutes. For 10 well mini gels load 25μl. For other gel and comb formats please refer to the PrecisionAb western blotting protocol.
Storage	Antibody: Store undiluted at -20°C, avoiding repeated freeze thaw cycles.
	Lysate: Store lyophilized lysate at -20°C. After reconstitution aliquot and store at -20°C for up to 3 months or at -80°C for longer term storage.
Guarantee	As supplied, 12 months from date of despatch
Acknowledgements	PrecisionAb™ is a trademark of Bio-Rad Laboratories
Health And Safety Information	Material Safety Datasheet documentation #10040 #10561 available at: Antibody (10040): https://www.bio-rad-antibodies.com/uploads/MSDS/10040.pdf Lysate Material (10561): https://www.bio-rad-antibodies.com/uploads/MSDS/10561.pdf

Related Products

Recommended Secondary Antibodies

Goat Anti Rabbit IgG (H/L) (STAR208...) HRP

North & South Tel: +1 800 265 7376

America Fax: +1 919 878 3751

Worldwide

Tel: +44 (0)1865 852 700

Europe

Tel: +49 (0) 89 8090 95 21

Fax: +1 919 878 3751 Fax: +44 (0)1865 852 739
Email: antibody_sales_us@bio-rad.com Email: antibody_sales_uk@bio-rad.com

Fax: +49 (0) 89 8090 95 50
Email: antibody_sales_de@bio-rad.com

From March 15, 2021, we will no longer supply printed datasheets with our products. Look out for updates on how to access your digital version at bio-rad-antibodies.com

'M350944:190315'

Printed on 10 Feb 2021

© 2021 Bio-Rad Laboratories Inc | Legal | Imprint