

Datasheet: VPA00417KT

Description:	VAPA ANTIBODY WITH CONTROL LYSATE
Specificity:	VAPA
Format:	Purified
Product Type:	PrecisionAb Polyclonal
Isotype:	Polyclonal IgG
Quantity:	2 Westerns

Product Details

Applications	This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.							
	Western Blotting	-			1/1000			
	PrecisionAb antibodies have been extensively <u>validated for the western blot</u> <u>application</u> . The antibody has been validated at the suggested dilution. Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Further optimization may be required dependant on sample type.							
Target Species	Human							
Species Cross Reactivity	Reacts with: Mouse N.B. Antibody reactivity a reactivity is derived from personal communications further information.	testing wi	thin our la	aboratories, peer-reviev	wed publications or			
Product Form	Purified IgG - liquid							
Preparation	20µl Rabbit polyclonal ar	ntibody pu	rified by a	affinity chromatography	,			
Buffer Solution	Phosphate buffered salin	e						
Preservative Stabilisers	0.09% Sodium Azide (Na	aN ₃)						
Immunogen	KLH-conjugated syntheti	c peptide	correspoi	nding to aa 182-210 of	human VAPA			

External Database Links	UniProt: <u>Q9P0L0</u> <u>Related reagents</u>					
	Fature Course					
	Entrez Gene:					
	9218 VAPA Related reagents					
Synonyms	VAP33					
Specificity	Rabbit anti Human VAPA antibody recognizes VAPA, also known as 33 kDa VAMP-associated protein, VAMP-associated protein A and hVAP-33.					
	The protein encoded by the VAPA gene is a type IV membrane protein. It is present in the plasma membrane and intracellular vesicles. It may also be associated with the cytoskeleton. This protein may function in vesicle trafficking, membrane fusion, protein complex assembly and cell motility. Alternative splicing occurs at this locus and two transcript variants encoding distinct isoforms have been identified (provided by RefSeq, Jul 2008).					
	Rabbit anti Human VAPA antibody detects a band of 31 kDa. The antibody has been extensively validated for western blotting using whole cell lysates.					
Western Blotting	Anti VAPA detects a band of approximately 31 kDa in HepG2 cell lysate					
Instructions For Use	Please refer to the <u>PrecisionAb western blotting protocol</u> . For additional information on secondary antibody dilution and exposure time see product web page.					
Lysate Composition	400µg HepG2 lysate lyophilized in RIPA buffer					
Lysate Reconstitution	- If using DDT reconstitute the lyophilized lysate with 190µl DI H ₂ O, add 200µl 2x Laemmli Sample Buffer and 10µl 2M DTT.					
	- If using BME reconstitute the lyophilized lysate with 180µl DI H ₂ O, add 200µl 2x Laemmli Sample Buffer and 20µl BME.					
	Heat at 95°C for 5 minutes. For 10 well mini gels load 25µl. For other gel and comb formats please refer to the PrecisionAb western blotting protocol.					
Storage	Antibody: Store undiluted at -20 ^o C, avoiding repeated freeze thaw cycles.					
	Lysate: Store lyophilized lysate at -20°C. After reconstitution aliquot and store at -20°C for up to 3 months or at -80°C for longer term storage.					
Guarantee	As supplied, 12 months from date of despatch					
Acknowledgements	PrecisionAb™ is a trademark of Bio-Rad Laboratories					
Health And Safety Information	Material Safety Datasheet documentation #10040 #10561 available at: Antibody (10040): <u>https://www.bio-rad-antibodies.com/uploads/MSDS/10040.pdf</u> Lysate Material (10561): <u>https://www.bio-rad-antibodies.com/uploads/MSDS/10561.pdf</u>					

Related Products

Recommended Secondary Antibodies

Goat Anti Rabbit IgG (H/L) (STAR208...) HRP

North & South	Tel: +1 800 265 7376	Worldwide	Tel: +44 (0)1865 852 700	Europe	Tel: +49 (0) 89 8090 95 21				
America	Fax: +1 919 878 3751		Fax: +44 (0)1865 852 739		Fax: +49 (0) 89 8090 95 50				
	Email: antibody_sales_us@bio-r	ad.com	Email: antibody_sales_uk@bio-rad.com		Email: antibody_sales_de@bio-rad.com				
From March 15, 2021, we will no longer supply printed datasheets with our products. Look out for updates on how to access your digital version at bio-rad-antibodies.com									
'M351626:190318'									

Printed on 10 Feb 2021

© 2021 Bio-Rad Laboratories Inc | Legal | Imprint