

Datasheet: VPA00437KT

Description:	ARS2 ANTIBODY WITH CONTROL LYSATE		
Specificity:	ARS2		
Format:	Purified		
Product Type:	PrecisionAb Polyclonal		
Isotype:	Polyclonal IgG		
Quantity:	2 Westerns		

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Western Blotting				1/1000

PrecisionAb antibodies have been extensively <u>validated for the western blot</u> <u>application.</u> The antibody has been validated at the suggested dilution. Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Further optimization may be required dependant on sample type.

Target Species	Human
Product Form	Purified IgG - liquid.
Preparation	20μl Goat polyclonal antibody purified by affinity chromatography.
Buffer Solution	TRIS buffered saline.
Preservative Stabilisers	0.09% Sodium Azide (NaN ₃) 0.5% Bovine Serum Albumin
Immunogen	Peptide sequence C-DPRAIVEYRDLDAPD
External Database Links	UniProt:

Related reagents

Entrez Gene:

Q9BXP5

51593 SRRT Related reagents **Synonyms** ARS2, ASR2 **Specificity** Goat anti Human ARS2 antibody recognizes ARS2 also known as arsenate resistance protein 2, serrate RNA effector molecule homolog or SRRT. Goat anti Human ARS2 antibody detects a band of 117 kDa. The antibody has been extensively validated for western blotting using whole cell lysates. Western Blotting Anti ARS2 detects a band of approximately 117 kDa in Jurkat cell lysates. **Instructions For Use** Please refer to the PrecisionAb western blotting protocol. **Lysate Composition** 400µg Jurkat lysate lyophilized in RIPA buffer. Lysate Reconstitution - If using DDT reconstitute the lyophilized lysate with 190µl DI H₂O, add 200µl 2x Laemmli Sample Buffer and 10µl 2M DTT. - If using BME reconstitute the lyophilized lysate with 180µl DI H₂O, add 200µl 2x Laemmli Sample Buffer and 20µl BME. Heat at 95°C for 5 minutes. For 10 well mini gels load 25µl. For other gel and comb formats please refer to the PrecisionAb western blotting protocol. Storage Antibody: Store undiluted at -20°C, avoiding repeated freeze thaw cycles. Lysate: Store lyophilized lysate at -20°C. After reconstitution aliquot and store at -20°C for up to 3 months or at -80°C for longer term storage. Guarantee As supplied, 12 months from date of despatch. Acknowledgements PrecisionAb™ is a trademark of Bio-Rad Laboratories. **Health And Safety** Material Safety Datasheet documentation #10058 #10561 available at:

Related Products

Information

Regulatory

Recommended Secondary Antibodies

Donkey Anti Sheep IgG (STAR88...) HRP

North & South Tel: +1 800 265 7376

America Fax: +1 919 878 3751

Worldwide

For research purposes only.

Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739

Europe

Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50

Email: antibody_sales_us@bio-rad.com

Email: antibody_sales_uk@bio-rad.com

Antibody (10058): https://www.bio-rad-antibodies.com/uploads/MSDS/10058.pdf
Lysate Material (10561): https://www.bio-rad-antibodies.com/uploads/MSDS/10561.pdf

Email: antibody_sales_de@bio-rad.com

From March 15, 2021, we will no longer supply printed datasheets with our products. Look out for updates on how to access your digital version at bio-rad-antibodies.com 'M351846:190318'

Printed on 10 Feb 2021

© 2021 Bio-Rad Laboratories Inc | <u>Legal</u> | <u>Imprint</u>