

Datasheet: VPA00438KT

Description:	TAZ ANTIBODY WITH CONTROL LYSATE				
Specificity:	TAZ				
Format:	Purified				
Product Type:	PrecisionAb Polyclonal				
Isotype:	Polyclonal IgG				
Quantity:	2 Westerns				

Product Details

Applications	This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <u>www.bio-rad-antibodies.com/protocols</u> .						
		Yes	No	Not Determined	Suggested Dilution		
	Western Blotting	-			1/1000		
	PrecisionAb antibodies have been extensively validated for the western blot						
	application. The antibody has been validated at the suggested dilution. Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Further optimization may be required dependant on sample type.						
Target Species	Human						
Product Form	Purified IgG - liquid						
Preparation	20µl Rabbit polyclonal antibody purified by affinity chromatography.						
Buffer Solution	Phosphate buffered saline.						
Preservative Stabilisers	0.09% Sodium Azide (NaN ₃).						
Immunogen	KLH conjugated synthetic peptide corresponding to amino acid 296-330 of human TAZ						
External Database Links	Entrez Gene:	reagents elated reag	gents				

Synonyms	TAZ				
Specificity	Rabbit anti Human TAZ antibody recognizes TAZ, also known as WW domain- containing transcription regulator protein 1 or transcriptional co-activator with PDZ-binding motif.				
	Rabbit anti Human TAZ antibody detects a band of 48 kDa. The antibody has been extensively validated for western blotting using whole cell lysates.				
Western Blotting	Anti TAZ detects a band of approximately 48 kDa in HeLa cell lysates.				
Instructions For Use	Please refer to the PrecisionAb western blotting protocol.				
Lysate Composition	400µg HeLa lysate lyophilized in RIPA buffer.				
Lysate Reconstitution	 If using DDT reconstitute the lyophilized lysate with 190µl DI H₂O, add 200µl 2x Laemmli Sample Buffer and 10µl 2M DTT. If using BME reconstitute the lyophilized lysate with 180µl DI H₂O, add 200µl 2x Laemmli Sample Buffer and 20µl BME. Heat at 95°C for 5 minutes. For 10 well mini gels load 25µl. 				
Storage	Antibody: Store undiluted at -20°C, avoiding repeated freeze thaw cycles.				
	Lysate: Store lyophilized lysate at -20°C. After reconstitution aliquot and store at -20°C for up to 3 months or at -80°C for longer term storage.				
Guarantee	As supplied, 12 months from date of despatch.				
Acknowledgements	PrecisionAb™ is a trademark of Bio-Rad Laboratories.				
Health And Safety Information	Material Safety Datasheet documentation #10040 #10561 available at: Antibody (10040): <u>https://www.bio-rad-antibodies.com/uploads/MSDS/10040.pdf</u> Lysate Material (10561): <u>https://www.bio-rad-antibodies.com/uploads/MSDS/10561.pdf</u>				
Regulatory	For research purposes only.				

Related Products

Recommended Secondary Antibodies

Goat Anti Rabbit IgG (H/L) (STAR208...) HRP

North & South	Tel: +1 800 265 7376 World	dwide	Tel: +44 (0)1865 852 700	Europe	Tel: +49 (0) 89 8090 95 21
America	Fax: +1 919 878 3751		Fax: +44 (0)1865 852 739		Fax: +49 (0) 89 8090 95 50
	Email: antibody_sales_us@bio-rad.com		Email: antibody_sales_uk@bio-ra	d.com	Email: antibody_sales_de@bio-rad.com

From March 15, 2021, we will no longer supply printed datasheets with our products. Look out for updates on how to access your digital version at bio-rad-antibodies.com 'M351570:190318'

Printed on 10 Feb 2021

© 2021 Bio-Rad Laboratories Inc | Legal | Imprint