

Datasheet: VPA00456KT

| Description: | HIGH MOBILITY GROUP PROTEIN B1 ANTIBODY WITH CONTROL LYSATE |
|---------------|---|
| Specificity: | HIGH MOBILITY GROUP PROTEIN B1 |
| Format: | Purified |
| Product Type: | PrecisionAb Polyclonal |
| Isotype: | Polyclonal IgG |
| Quantity: | 2 Westerns |
| | |

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

| | Yes | No | Not Determined | Suggested Dilution |
|------------------|-----|----|----------------|--------------------|
| Western Blotting | | | | 1/1000 |

PrecisionAb antibodies have been extensively <u>validated for the western blot</u> <u>application</u>. The antibody has been validated at the suggested dilution. Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Further optimization may be required dependant on sample type.

| Target Species | Human |
|-----------------------------|---|
| Species Cross Reactivity | Reacts with: Rat N.B. Antibody reactivity and working conditions may vary between species. Cross reactivity is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. |
| Product Form | Purified IgG - liquid |
| Preparation | 20μl Rabbit polyclonal antibody purified by affinity chromatography |
| Buffer Solution | Phosphate buffered saline |
| Preservative Stabilisers | 0.09% Sodium Azide (NaN ₃) 2% Sucrose |
| Immunogen | Synthetic peptide directed towards the N terminal region of human high mobility group |

Storage

Specificity Rabbit anti Human high mobility group protein B1 antibody recognizes high mobility group protein B1, also known as amphoterin, HMG-1 or Sulfoglucuronyl carbohydrate binding protein,

Rabbit anti Human high mobility group protein B1 antibody detects bands of 25 and 29 kDa. The antibody has been extensively validated for western blotting using whole cell lysates.

Western Blotting Anti high mobility group protein B1 detects bands of approximately 25 & 29 kDa in C6 cell lysates

Instructions For Use Please refer to the <u>PrecisionAb western blotting protocol.</u> For additional information on secondary antibody dilution and exposure time see product web page.

Lysate Composition 400µg C6 lysate lyophilized in RIPA buffer.

| Lysate Reconstitution | - If using DDT reconstitute the lyophilized lysate with 190 μ l DI H $_2$ O, add 200 μ l 2x Laemmli |
|-----------------------|---|
| | Sample Buffer and 10µl 2M DTT. |
| | - If using BME reconstitute the lyophilized lysate with 180 μ l DI H $_2$ O, add 200 μ l 2x Laemmli |
| | Sample Buffer and 20µl BME. |

Heat at 95°C for 5 minutes. For 10 well mini gels load 25µl. For other gel and comb formats please refer to the PrecisionAb western blotting protocol.

| • | |
|---|--|
| | Lysate: Store lyophilized lysate at -20°C. After reconstitution aliquot and store at -20°C for |

up to 3 months or at -80°C for longer term storage.

Guarantee As supplied, 12 months from date of despatch

Antibody: Store undiluted at -20°C, avoiding repeated freeze thaw cycles.

| Acknowledgements | PrecisionAb™ is a trademark of Bio-Rad Laboratories |
|----------------------------------|--|
| Health And Safety Information | Material Safety Datasheet documentation #10045 #10561 available at: Antibody (10045): https://www.bio-rad-antibodies.com/uploads/MSDS/10045.pdf Lysate Material (10561): https://www.bio-rad-antibodies.com/uploads/MSDS/10561.pdf |
| Regulatory | For research purposes only |

Related Products

Recommended Secondary Antibodies

Goat Anti Rabbit IgG (H/L) (STAR208...) HRP

 North & South
 Tel: +1 800 265 7376
 Worldwide
 Tel: +44 (0)1865 852 700
 Europe
 Tel: +49 (0) 89 8090 95 21

 America
 Fax: +1 919 878 3751
 Fax: +44 (0)1865 852 739
 Fax: +49 (0) 89 8090 95 50

From March 15, 2021, we will no longer supply printed datasheets with our products. Look out for updates on how to access your digital version at bio-rad-antibodies.com 'M351223:190315'

Printed on 10 Feb 2021

© 2021 Bio-Rad Laboratories Inc | Legal | Imprint