

Datasheet: VPA00478KT

Description:	MED17 ANTIBODY WITH CONTROL LYSATE
Specificity:	MED17
Format:	Purified
Product Type:	PrecisionAb Polyclonal
Isotype:	Polyclonal IgG
Quantity:	2 Westerns

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Western Blotting	▪			1/1000

PrecisionAb antibodies have been extensively [validated for the western blot application](#). The antibody has been validated at the suggested dilution. Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Further optimization may be required dependant on sample type.

Target Species

Human

Species Cross Reactivity

Reacts with: Mouse

N.B. Antibody reactivity and working conditions may vary between species. Cross reactivity is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information.

Product Form

Purified IgG - liquid.

Preparation

20µl Rabbit polyclonal antibody purified by affinity chromatography.

Buffer Solution

Phosphate buffered saline.

Preservative Stabilisers

0.09% Sodium Azide (NaN₃)
2% Sucrose.

Immunogen

Synthetic peptide directed towards the N terminal region of human MED17

**External Database
Links**

UniProt:

[Q9NVC6](#) [Related reagents](#)

Entrez Gene:

[9440](#) MED17 [Related reagents](#)

Synonyms ARC77, CRSP6, DRIP77, DRIP80, TRAP80

Specificity **Rabbit anti Human MED17 antibody** recognizes MED17 also known as, mediator of RNA polymerase II transcription subunit 17, activator-recruited cofactor 77 kDa component, cofactor required for Sp1 transcriptional activation, subunit 6, thyroid hormone receptor-associated protein complex 80 kDa component, transcriptional coactivator CRSP77 or vitamin D3 receptor-interacting protein complex 80 kDa component.

The activation of gene transcription is a multistep process triggered by factors that recognize transcriptional enhancer sites in DNA, these factors work with co-activators to direct transcriptional initiation by the RNA polymerase II apparatus. The protein encoded by MED17 gene is a subunit of the CRSP (cofactor required for SP1 activation) complex, which, along with TFIID, is required for efficient activation by SP1. This protein is also a component of other multisubunit complexes e.g. thyroid hormone receptor-(TR-) associated proteins which interact with TR and facilitate TR function on DNA templates in conjunction with initiation factors and cofactors (provided by RefSeq, Jul 2008).

Rabbit anti Human MED17 antibody detects a band of 95 kDa. The antibody has been extensively validated for western blotting using whole cell lysates.

Western Blotting Anti MED17 detects a band of approximately 95 kDa in MCF7 cell lysates.

Instructions For Use Please refer to the [PrecisionAb western blotting protocol](#). For additional information on secondary antibody dilution and exposure time see product web page.

Lysate Composition 400µg MCF7 lysate lyophilized in RIPA buffer.

Lysate Reconstitution - If using DDT reconstitute the lyophilized lysate with 190µl DI H₂O, add 200µl 2x Laemmli Sample Buffer and 10µl 2M DTT.
- If using BME reconstitute the lyophilized lysate with 180µl DI H₂O, add 200µl 2x Laemmli Sample Buffer and 20µl BME.
Heat at 95°C for 5 minutes. For 10 well mini gels load 25µl. For other gel and comb formats please refer to the PrecisionAb western blotting protocol.

Storage Antibody: Store undiluted at -20°C, avoiding repeated freeze thaw cycles.

Lysate: Store lyophilized lysate at -20°C. After reconstitution aliquot and store at -20°C for up to 3 months or at -80°C for longer term storage.

Guarantee As supplied, 12 months from date of despatch.

Acknowledgements PrecisionAb™ is a trademark of Bio-Rad Laboratories.

Health And Safety Information Material Safety Datasheet documentation #10045 #10561 available at:
Antibody (10045): <https://www.bio-rad-antibodies.com/uploads/MSDS/10045.pdf>
Lysate Material (10561): <https://www.bio-rad-antibodies.com/uploads/MSDS/10561.pdf>

Regulatory For research purposes only.

Related Products

Recommended Secondary Antibodies

Goat Anti Rabbit IgG (H/L) (STAR208...) [HRP](#)

North & South America	Tel: +1 800 265 7376 Fax: +1 919 878 3751 Email: antibody_sales_us@bio-rad.com	Worldwide	Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Email: antibody_sales_uk@bio-rad.com	Europe	Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50 Email: antibody_sales_de@bio-rad.com
----------------------------------	-----------------------------------------------------------------------------------------------------------------------------------------	------------------	-------------------------------------------------------------------------------------------------------------------------------------------------	---------------	-----------------------------------------------------------------------------------------------------------------------------------------------------

From March 15, 2021, we will no longer supply printed datasheets with our products.
Look out for updates on how to access your digital version at [bio-rad-antibodies.com](https://www.bio-rad-antibodies.com)

'M351240:190315'

Printed on 10 Feb 2021

© 2021 Bio-Rad Laboratories Inc | [Legal](#) | [Imprint](#)