

Datasheet: VPA00490

Description:	RABBIT ANTI CD87
Specificity:	CD87
Format:	Purified
Product Type:	PrecisionAb Polyclonal
Isotype:	Polyclonal IgG
Quantity:	100 µl

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Western Blotting	▪			1/1000

The PrecisionAb label is reserved for antibodies that meet the defined performance criteria within Bio-Rad's ongoing antibody validation programme. Click [here](#) to learn how we validate our PrecisionAb range. Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Further optimization may be required dependent on sample type.

Target Species

Human

Species Cross Reactivity

Reacts with: Mouse

N.B. Antibody reactivity and working conditions may vary between species. Cross reactivity is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information.

Product Form

Purified IgG - liquid.

Preparation

Rabbit polyclonal antibody purified by affinity chromatography.

Buffer Solution

Phosphate buffered saline.

Preservative Stabilisers

0.09% Sodium Azide (NaN₃)
2% Sucrose.

Immunogen

Synthetic peptide directed towards the N-terminal region of CD87

**External Database
Links**

UniProt:

[Q9GK80](#) [Related reagents](#)

Entrez Gene:

[450103](#) PLAUR [Related reagents](#)

Synonyms

UPAR

Specificity

Rabbit anti Human CD87 antibody recognizes CD87, also known as urokinase plasminogen activator surface receptor, monocyte activation antigen Mo3 or u-plasminogen activator receptor form 2,

The PLAUR gene encodes the receptor for urokinase plasminogen activator and, given its role in localizing and promoting plasmin formation, is likely influence many normal and pathological processes related to cell-surface plasminogen activation and localized degradation of the extracellular matrix. It binds both the proprotein and mature forms of urokinase plasminogen activator and permits the activation of the receptor-bound pro-enzyme by plasmin. The protein lacks transmembrane or cytoplasmic domains and may be anchored to the plasma membrane by a glycosyl-phosphatidylinositol (GPI) moiety following cleavage of the nascent polypeptide near its carboxy-terminus. However, a soluble protein is also produced in some cell types ([Stephens et al. 1997](#)). Alternative splicing results in multiple transcript variants encoding different isoforms. The proprotein experiences several post-translational cleavage reactions that have not yet been fully defined (provided by RefSeq, Jul 2008).

Rabbit anti Human CD87 antibody detects a band of 50 kDa. The antibody has been extensively validated for western blotting using whole cell lysates.

Western Blotting

Anti CD87 detects a band of approximately 50 kDa in NIH/3T3 cell lysates.

Storage

Store undiluted at -20°C, avoiding repeated freeze thaw cycles.

Guarantee

12 months from date of despatch.

Acknowledgements

PrecisionAb is a trademark of Bio-Rad Laboratories.

**Health And Safety
Information**

Material Safety Datasheet documentation #10045 available at:
Antibody (10045): <https://www.bio-rad-antibodies.com/uploads/MSDS/10045.pdf>

Regulatory

For research purposes only.

Related Products

Recommended Secondary Antibodies

Goat Anti Rabbit IgG (H/L) (STAR208...) [HRP](#)

To find a batch/lot specific datasheet for this product, please use our online search tool at: [bio-rad-antibodies.com/datasheets](https://www.bio-rad-antibodies.com/datasheets)

North & South Tel: +1 800 265 7376

America Fax: +1 919 878 3751

Email: antibody_sales_us@bio-rad.com

Worldwide

Tel: +44 (0)1865 852 700

Fax: +44 (0)1865 852 739

Email: antibody_sales_uk@bio-rad.com

'M402338:220718'

Europe

Tel: +49 (0) 89 8090 95 21

Fax: +49 (0) 89 8090 95 50

Email: antibody_sales_de@bio-rad.com

Printed on 12 Sep 2022

© 2022 Bio-Rad Laboratories Inc | [Legal](#) | [Imprint](#)