

Datasheet: VPA00513

Description:	GOAT ANTI PDIA3	
Specificity:	PDIA3	
Format:	Purified	
Product Type:	PrecisionAb Polyclonal	
Isotype:	Polyclonal IgG	
Quantity: 100 μl		

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Western Blotting				1/1000

The PrecisionAb label is reserved for antibodies that meet the defined performance criteria within Bio-Rad's ongoing antibody validation programme. Click here to learn how we validate our PrecisionAb range. Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Further optimization may be required dependent on sample type.

Target Species	Human
Species Cross Reactivity	Reacts with: Mouse N.B. Antibody reactivity and working conditions may vary between species. Cross reactivity is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information.
Product Form	Purified IgG - liquid.
Preparation	Goat polyclonal antibody purified by affinity chromatography.
Buffer Solution	TRIS buffered saline.
Preservative Stabilisers	0.09% Sodium Azide (NaN ₃) 0.5% Bovine Serum Albumin.
Immunogen	Peptide sequence C-TEYSALEQSTK

External Database Links

UniProt:

P30101 Related reagents

Entrez Gene:

2923 PDIA3 Related reagents

Synonyms

ERP57, ERP60, GRP58

Specificity

Goat anti Human PDIA3 antibody recognizes protein disulfide-isomerase A3, also known as 58 kDa glucose-regulated protein, 58 kDa microsomal protein, disulfide isomerase ER-60, epididymis secretory protein Li 269 or phospholipase C-alpha.

The PDIA3 gene encodes a protein of the endoplasmic reticulum that interacts with lectin chaperones calreticulin and calnexin to modulate folding of newly synthesized glycoproteins. The protein was once thought to be a phospholipase; however, it has been demonstrated that the protein actually has protein disulfide isomerase activity. It is thought that complexes of lectins and this protein mediate protein folding by promoting formation of disulfide bonds in their glycoprotein substrates (Trombetta and Helenius 1998) (provided by RefSeq, Jul 2008).

Goat anti Human PDIA3 antibody detects a band of 58 kDa. The antibody has been extensively validated for western blotting using whole cell lysates.

Western Blotting	Anti PDIA3 detects a band of approximately 58 kDa in HepG2 cell lysates.
Storage	Store undiluted at -20°C, avoiding repeated freeze thaw cycles.
Guarantee	12 months from date of despatch.
Acknowledgements	PrecisionAb is a trademark of Bio-Rad Laboratories.
Health And Safety Information	Material Safety Datasheet documentation #10058 available at: https://www.bio-rad-antibodies.com/SDS/VPA00513 Antibody (10058)
Regulatory	For research purposes only.

Related Products

Recommended Secondary Antibodies

Donkey Anti Sheep IgG (STAR88...) HRP

North & South Tel: +1 800 265 7376

America Fax: +1 919 878 3751

Worldwide

Tel: +44 (0)1865 852 700 **Eur** Fax: +44 (0)1865 852 739

Europe

Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50

Email: antibody_sales_us@bio-rad.com

Email: antibody_sales_uk@bio-rad.com

Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M421519:230706'

© 2023 Bio-Rad Laboratories Inc | Legal | Imprint