

Datasheet: VPA00516

Description:	GOAT ANTI LDHA
Specificity:	LDHA
Format:	Purified
Product Type:	PrecisionAb Polyclonal
Isotype:	Polyclonal IgG
Quantity:	100 µl

Product Details

Applications	This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <u>www.bio-</u>						
	rad-antibodies.com/proto	ocols. Yes	No	Not Determined	Suggested Dilution		
	Western Blotting	Tes	NO	Not Determined	Suggested Dilution 1/1000		
	The PrecisionAb label	is reserve	ed for an	tibodies that meet th	e defined performance		
	criteria within Bio-Rad'	s ongoin	g antiboo	ly validation program	nme. Click <u>here</u> to learn		
	how we validate our Pr	ecisionA	b range.	Where this product ha	s not been tested for		
	use in a particular techni	que this c	loes not n	ecessarily exclude its	use in such procedures.		
	Further optimization may	/ be requi	red deper	ident on sample type.			
Target Species	Human						
Species Cross Reactivity	Reacts with: Mouse N.B. Antibody reactivity and working conditions may vary between species. Cross reactivity is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information.						
Product Form	Purified IgG - liquid.						
Preparation	Goat polyclonal antibody	purified b	by affinity	chromatography.			
Buffer Solution	TRIS buffered saline.						
Preservative	0.09% Sodium Azide (Na	aN ₃)					
Stabilisers	0.5% Bovine Serum Albu	umin.					
Approx. Protein Concentrations	IgG concentration 0.5 mg/ml.						

Immunogen	Peptide sequence C-SDLVKVTLTSE					
External Database Links	UniProt: <u>P00338</u> <u>Related reagents</u> Entrez Gene: <u>3939</u> LDHA <u>Related reagents</u>					
Specificity	Goat anti Human LDHA antibody recognizes L-lactate dehydrogenase A chain, also known as LDH muscle subunit, cell proliferation-inducing gene 19 protein, epididymis secretory sperm binding protein Li 133P, lactate dehydrogenase M or renal carcinoma antigen NY-REN-59.					
	The protein encoded by the LDHA gene catalyzes the conversion of L-lactate and NAD to pyruvate and NADH in the final step of anaerobic glycolysis. The protein is found predominantly in muscle tissue and belongs to the lactate dehydrogenase family. Mutations in LDHA causes glycogen storage disease 11 (<u>GSD11</u>), a condition characterized by exertional myoglobinuria, pain, cramps and easy fatigue (<u>Kanno <i>et al.</i></u> 1988). Multiple transcript variants encoding different isoforms have been found for LDHA. The human genome contains several non-transcribed pseudogenes of LDHA (provided by RefSeq, Sep 2008).					
	Goat anti Human LDHA antibody detects a band of 33 kDa. The antibody has been extensively validated for western blotting using whole cell lysates.					
Western Blotting	Anti LDHA detects a band of approximately 33 kDa in HeLa cell lysates.					
Storage	Store undiluted at -20°C, avoiding repeated freeze thaw cycles.					
Guarantee	12 months from date of despatch.					
Acknowledgements	PrecisionAb is a trademark of Bio-Rad Laboratories.					
Health And Safety Information	Material Safety Datasheet documentation #10058 available at: https://www.bio-rad-antibodies.com/SDS/VPA00516 Antibody (10058)					
Regulatory	For research purposes only.					

Related Products

Recommended Secondary Antibodies

Donkey Anti Sheep IgG (STAR88...) HRP

North & South	Tel: +1 800 265 7376	Worldwide	Tel: +44 (0)1865 852 700	Europe	Tel: +49 (0) 89 8090 95 21
America	Fax: +1 919 878 3751		Fax: +44 (0)1865 852 739		Fax: +49 (0) 89 8090 95 50
	Email: antibody_sales_us@bio-rad	.com	Email: antibody_sales_uk@bio-ra	d.com	Email: antibody_sales_de@bio-rad.com

Printed on 01 Mar 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint