

Datasheet: VPA00547KT

Description:	McI-1 ANTIBODY WITH CONTROL LYSATE	
Specificity:	McI-1	
Format:	Purified	
Product Type:	PrecisionAb Polyclonal	
Isotype:	Polyclonal IgG	
Quantity:	2 Westerns	

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Western Blotting	-			1/1000

PrecisionAb antibodies have been extensively <u>validated for the western blot</u> <u>application.</u> The antibody has been validated at the suggested dilution. Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Further optimization may be required dependant on sample type.

Target Species	Human
Species Cross Reactivity	Reacts with: Mouse N.B. Antibody reactivity and working conditions may vary between species. Cross reactivity is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information.
Product Form	Purified IgG - liquid.
Preparation	20μl Goat polyclonal antibody purified by affinity chromatography.
Buffer Solution	TRIS buffered saline.
Preservative Stabilisers	0.09% Sodium Azide (NaN ₃) 0.5% Bovine Serum Albumin.
Immunogen	Peptide sequence C-AGVGAGLAYLIR

External Database Links	UniProt: Q07820 Related reagents Entrez Gene: 4170 MCL1 Related reagents		
Synonyms	BCL2L3		
Specificity	Goat anti Human McI-1 antibody recognizes the induced myeloid leukemia cell differentiation protein McI-1, also known as bcI-2-like protein 3, bcI-2-related protein EAT/mcI1 or myeloid cell leukemia ES.		
	MCL1 gene encodes an anti-apoptotic protein, a member of the Bcl-2 family. Alternative splicing results in multiple transcript variants. The longest gene product (isoform 1) enhances cell survival by inhibiting apoptosis while the alternatively spliced shorter gene products (isoform 2 and isoform 3) promote apoptosis and are death-inducing (provided by RefSeq, Oct 2010).		
	Goat anti Human Mcl-1 antibody detects a band of 35 kDa. The antibody has been extensively validated for western blotting using whole cell lysates.		
Western Blotting	Anti Mcl-1 detects a band of approximately 35 kDa in K562 cell lysates.		
Instructions For Use	Please refer to the PrecisionAb western blotting protocol.		
Lysate Composition	400μg K562 lysate lyophilized in RIPA buffer.		
Lysate Reconstitution	- If using DDT reconstitute the lyophilized lysate with 190 μ l DI H $_2$ O, add 200 μ l 2x Laemmli Sample Buffer and 10 μ l 2M DTT.		
	- If using BME reconstitute the lyophilized lysate with 180 μ l DI H ₂ O, add 200 μ l 2x Laemmli Sample Buffer and 20 μ l BME.		
	Heat at 95°C for 5 minutes. For 10 well mini gels load 25µl. For other gel and comb formats please refer to the PrecisionAb western blotting protocol.		
Storage	Antibody: Store undiluted at -20°C, avoiding repeated freeze thaw cycles.		
	Lysate: Store lyophilized lysate at -20°C. After reconstitution aliquot and store at -20°C for up to 3 months or at -80°C for longer term storage.		
Guarantee	As supplied, 12 months from date of despatch.		
Acknowledgements	PrecisionAb™ is a trademark of Bio-Rad Laboratories.		
Health And Safety Information	Material Safety Datasheet documentation #10058 #10561 available at: Antibody (10058): https://www.bio-rad-antibodies.com/uploads/MSDS/10058.pdf Lysate Material (10561): https://www.bio-rad-antibodies.com/uploads/MSDS/10561.pdf		

For research purposes only.

Regulatory

Related Products

Recommended Secondary Antibodies

Donkey Anti Sheep IgG (STAR88...) HRP

 North & South
 Tel: +1 800 265 7376
 Worldwide
 Tel: +44 (0)1865 852 700
 Europe
 Tel: +49 (0) 89 8090 95 21

 America
 Fax: +1 919 878 3751
 Fax: +44 (0)1865 852 739
 Fax: +49 (0) 89 8090 95 50

 $\textbf{Email: antibody_sales_us@bio-rad.com} \\ \textbf{Email: antibody_sales_uk@bio-rad.com} \\ \textbf{Email: antibody_sales_uk@b$

From March 15, 2021, we will no longer supply printed datasheets with our products. Look out for updates on how to access your digital version at bio-rad-antibodies.com 'M351912:190318'

Printed on 10 Feb 2021

© 2021 Bio-Rad Laboratories Inc | Legal | Imprint