

Datasheet: VPA00557

Description:	RABBIT ANTI HISTONE DEACETYLASE 3
Specificity:	HISTONE DEACETYLASE 3
Format:	Purified
Product Type:	PrecisionAb Polyclonal
Isotype:	Polyclonal IgG
Quantity:	100 µl

Product Details

Applications	This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <u>www.bio-rad-antibodies.com/protocols</u> .						
		Yes	No	Not Determined	Suggested Dilution		
	Western Blotting	-			1/1000		
	The PrecisionAb label is reserved for antibodies that meet the defined performance						
	criteria within Bio-Rad how we validate our Pr use in a particular techni Further optimization may	recisionA ique this d	b range. loes not n	Where this product has ecessarily exclude its			
Target Species	Human						
Species Cross Reactivity	Reacts with: Mouse, Rat N.B. Antibody reactivity and working conditions may vary between species. Cross reactivity is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information.						
Product Form	Purified IgG - liquid.						
Preparation	Rabbit polyclonal antibody purified by affinity chromatography.						
Buffer Solution	Phosphate buffered salir	ne.					
Preservative Stabilisers	0.09% Sodium Azide (N	aN ₃).					
Immunogen	KLH conjugated synthet deacetylase 3	ic peptide	correspor	nding to amino acid 38	3-412 of human histone		

External Database Links	UniProt: 015379 Related reagents Entrez Gene: 8841 HDAC3 Related reagents			
Specificity	Rabbit anti Human histone deacetylase 3 antibody recognizes histone deacetylase 3 (HDAC3), also known as SMAP45 or RPD3-2. Histones play a critical role in transcriptional regulation, cell cycle progression, and developmental events. Histone acetylation/deacetylation alters chromosome structure and affects transcription factor access to DNA. The protein encoded by HDAC3 gene belongs to the histone deacetylase/acuc/apha family. It has histone deacetylase activity and represses transcription when tethered to a promoter. It may participate in the regulation of transcription through its binding with the zinc-finger transcription factor YY1. This protein can also down-regulate p53 function and thus modulate cell growth and apoptosis. HDAC3 is regarded as a potential tumor suppressor gene (provided by RefSeq, Jul 2008).			
Western Blotting	Anti histone deacetylase 3 detects a band of approximately 49 kDa in NIH/3T3 cell lysates.			
Storage	Store undiluted at -20°C, avoiding repeated freeze thaw cycles.			
Guarantee	12 months from date of despatch.			
Acknowledgements	PrecisionAb is a trademark of Bio-Rad Laboratories.			
Health And Safety Information	Material Safety Datasheet documentation #10040 available at: <u>https://www.bio-rad-antibodies.com/SDS/VPA00557</u> Antibody (10040)			
Regulatory	For research purposes only.			

Related Products

Recommended Secondary Antibodies

Goat Anti Rabbit IgG (H/L) (STAR208...) HRP

North & South	Tel: +1 800 265 7376 Worldwide	Tel: +44 (0)1865 852 700 Eu	rope	Tel: +49 (0) 89 8090 95 21
America	Fax: +1 919 878 3751	Fax: +44 (0)1865 852 739		Fax: +49 (0) 89 8090 95 50
	Email: antibody_sales_us@bio-rad.com	Email: antibody_sales_uk@bio-rad.com	n	Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M402616:220719'

© 2023 Bio-Rad Laboratories Inc | Legal | Imprint