# Datasheet: VPA00563 BATCH NUMBER 160712

Description:	RABBIT ANTI FIBRILLARIN
Specificity:	FIBRILLARIN
Format:	Purified
Product Type:	PrecisionAb Polyclonal
Isotype:	Polyclonal IgG
Quantity:	100 µl

## **Product Details**

Applications	This product has been reported to work in the following applications. This information derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <u>www.bio-rad-antibodies.com/protocols</u> .							
		Yes	No	Not Determined	Suggested Dilution			
	Western Blotting	•			1/1000			
	<b>criteria within Bio-Ra</b> <b>how we validate our F</b> use in a particular tech Further optimization ma	d's ongoin PrecisionA nique this c	<b>g antibo</b> . <b>b range</b> . does not r	<b>dy validation program</b> Where this product hat necessarily exclude its	e defined performance nme. Click <u>here</u> to learn s not been tested for use in such procedures.			
Target Species	Human							
Species Cross Reactivity	Reacts with: Rat <b>N.B.</b> Antibody reactivity reactivity is derived from personal communication further information.	m testing w	ithin our l	aboratories, peer-revie	wed publications or			
Product Form	Purified IgG - liquid.							
Preparation	Rabbit polyclonal antib	ody prepar	ed by affir	nity chromatography or	n Protein A.			
Buffer Solution	Phosphate buffered sa	ine.						
Preservative Stabilisers	0.09% Sodium Azide (I 2% Sucrose.	NaN <sub>3</sub> )						

External Database	UniProt:				
Links	P22087 Related reagents				
	Entrez Gene:				
	2091 FBL <u>Related reagents</u>				
Synonyms	FIB1, FLRN				
Specificity	<b>Rabbit anti Human fibrillarin antibody</b> recognizes the rRNA 2'-O-methyltransferase fibrillarin, also known as 34 kDa nucleolar scleroderma antigen, U3 small nucleolar interacting protein 1 or histone-glutamine methyltransferase.				
	The FBL gene product is a component of a nucleolar small nuclear ribonucleoprotein (snRNP) particle thought to participate in the first step in processing preribosomal RNA. It is associated with the U3, U8, and U13 small nuclear RNAs and is located in the dense fibrillar component (DFC) of the nucleolus. The encoded protein contains an N-terminal repetitive domain that is rich in glycine and arginine residues, like fibrillarins in other species. Its central region resembles an RNA-binding domain and contains an RNP consensus sequence. Antisera from approximately 8% of humans with the autoimmune disease scleroderma recognize fibrillarin (provided by RefSeq, Jul 2008).				
	Rabbit anti Human fibrillarin antibody detects a band of 37 kDa. The antibody has been extensively validated for western blotting using whole cell lysates.				
Western Blotting	Anti fibrillarin detects a band of approximately 37 kDa in HEK293 cell lysates.				
Storage	Store undiluted at -20°C, avoiding repeated freeze thaw cycles.				
Guarantee	12 months from date of despatch				
Acknowledgements	PrecisionAb is a trademark of Bio-Rad Laboratories				
Health And Safety	Material Safety Datasheet documentation #10045 available at:				
Information	https://www.bio-rad-antibodies.com/SDS/VPA00563				
	Antibody (10045)				
Regulatory	For research purposes only.				

## **Related Products**

#### **Recommended Secondary Antibodies**

Goat Anti Rabbit IgG (H/L) (STAR208...) HRP

North & South	Tel: +1 800 265 7376	Worldwide	Tel: +44 (0)1865 852 700	Europe	Tel: +49 (0) 8
America	Fax: +1 919 878 3751		Fax: +44 (0)1865 852 739		Fax: +49 (0)
	Email: antibody_sales_us@bio-ra	ad.com	Email: antibody_sales_uk@bi	o-rad.com	Email: antibo

Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50 Email: antibody\_sales\_de@bio-rad.com To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M370870:200529'

#### Printed on 13 Aug 2023

© 2023 Bio-Rad Laboratories Inc | Legal | Imprint