

Datasheet: VPA00572

Description:	RABBIT ANTI Chk1		
Specificity:	Chk1		
Format:	Purified		
Product Type:	PrecisionAb Polyclonal		
Isotype:	Polyclonal IgG		
Quantity:	100 µl		

Product Details

Applications	This product has been reported to work in the following applications. This information derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <u>www.bio-rad-antibodies.com/protocols</u> .						
	Yes No Not Determined Suggested Dilution						
	Western Blotting	•			1/1000		
	how we validate our P	I's ongoin recisionA hique this c	g antiboo b range . does not n	ly validation program Where this product has ecessarily exclude its	me. Click <u>here</u> to learn		
Target Species	Human						
Species Cross Reactivity	Reacts with: Mouse, Rat N.B. Antibody reactivity and working conditions may vary between species. Cross reactivity is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information.						
Product Form	Purified IgG - liquid.						
Preparation	Rabbit polyclonal antibo	ody purified	d by affinit	y chromatography.			
Buffer Solution	Phosphate buffered sali	ne.					
Preservative Stabilisers	0.09% Sodium Azide (N	laN ₃).					
Immunogen	KLH conjugated synthe	tic peptide	correspo	nding to 258-287 amin	o acid from human Chk1		

External Database Links	UniProt: <u>O14757</u> Related reagents			
	Entrez Gene: <u>1111</u> CHEK1 <u>Related reagents</u>			
Synonyms	CHK1			
Specificity	Rabbit anti Human Chk1 antibody recognizes Chk1 also known as checkpoint kinase-1, CHK1 checkpoint homolog or cell cycle checkpoint kinase .			
	The protein encoded by CHEK1 gene belongs to the Ser/Thr protein kinase family. It is required for checkpoint mediated cell cycle arrest in response to DNA damage or the presence of unreplicated DNA. This protein acts to integrate signals from ATM and ATR, two cell cycle proteins involved in DNA damage responses, that also associate with chromatin in meiotic prophase I. Phosphorylation of CDC25A protein phosphatase by this protein is required for cells to delay cell cycle progression in response to double-strand DNA breaks. Several alternatively spliced transcript variants have been found for CHEK1 (provided by RefSeq, Oct 2011).			
	Rabbit anti Human Chk1 antibody detects a band of 56 kDa. The antibody has been extensively validated for western blotting using whole cell lysates.			
Western Blotting	Anti Chk1 detects a band of approximately 56 kDa in HeLa cell lysates.			
Storage	Store undiluted at -20°C, avoiding repeated freeze thaw cycles.			
Guarantee	12 months from date of despatch			
Acknowledgements	PrecisionAb is a trademark of Bio-Rad Laboratories			
Health And Safety Information	Material Safety Datasheet documentation #10040 available at: Antibody (10040): <u>https://www.bio-rad-antibodies.com/uploads/MSDS/10040.pdf</u>			
Regulatory	For research purposes only.			

Related Products

Recommended Secondary Antibodies

Goat Anti Rabbit IgG (H/L) (STAR208...) HRP

North & South	Tel: +1 800 265 7376 Worldwide	Tel: +44 (0)1865 852 700 Europ	e Tel: +49 (0) 89 8090 95 21
America	Fax: +1 919 878 3751	Fax: +44 (0)1865 852 739	Fax: +49 (0) 89 8090 95 50
	Email: antibody_sales_us@bio-rad.com	Email: antibody_sales_uk@bio-rad.com	Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M386083:210519'

Printed on 29 Aug 2021

© 2021 Bio-Rad Laboratories Inc | Legal | Imprint