

Datasheet: VPA00575

**BATCH NUMBER 160801**

<b>Description:</b>	RABBIT ANTI C-MYC
<b>Specificity:</b>	C-MYC
<b>Format:</b>	Purified
<b>Product Type:</b>	PrecisionAb Polyclonal
<b>Isotype:</b>	Polyclonal IgG
<b>Quantity:</b>	100 µl

## Product Details

### Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit [www.bio-rad-antibodies.com/protocols](http://www.bio-rad-antibodies.com/protocols).

	Yes	No	Not Determined	Suggested Dilution
Western Blotting	▪			1/1000

**The PrecisionAb label is reserved for antibodies that meet the defined performance criteria within Bio-Rad's ongoing antibody validation programme. Click [here](#) to learn how we validate our PrecisionAb range.** Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Further optimization may be required dependent on sample type.

### Target Species

Human

### Species Cross Reactivity

Reacts with: Mouse

**N.B.** Antibody reactivity and working conditions may vary between species. Cross reactivity is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information.

### Product Form

Purified IgG - liquid.

### Preparation

Rabbit polyclonal antibody purified by affinity chromatography.

### Buffer Solution

Phosphate buffered saline.

### Preservative Stabilisers

0.09% Sodium Azide (NaN<sub>3</sub>)  
2% Sucrose.

**Immunogen** Synthetic peptide directed towards the N terminal region of human c-Myc

---

**External Database**

**Links**

**UniProt:**

[P01106-2](#)

[Related reagents](#)

---

**Specificity**

**Rabbit anti Human c-Myc antibody** recognizes c-Myc, also known as avian myelocytomatosis viral oncogene homolog, class E basic helix-loop-helix protein 39, myc-related translation/localization regulatory factor, transcription factor p64, v-myc myelocytomatosis viral oncogene homolog or proto-oncogene c-myc.

The protein encoded by MYC gene is a multifunctional, nuclear phosphoprotein that plays a role in cell cycle progression, apoptosis and cellular transformation. It functions as a transcription factor that regulates transcription of specific target genes. Mutations, overexpression, rearrangement and translocation of MYC have been associated with a variety of hematopoietic tumors, leukemias and lymphomas, including Burkitt lymphoma ([BL](#)). There is evidence to show that alternative translation initiations from an upstream, in-frame non-AUG (CUG) and a downstream AUG start site result in the production of two isoforms with distinct N-termini. The synthesis of non-AUG initiated protein is suppressed in Burkitt's lymphomas, suggesting its importance in the normal function of MYC (provided by RefSeq, Jul 2008).

Rabbit anti Human c-Myc antibody detects a band of 65 kDa. The antibody has been extensively validated for western blotting using whole cell lysates.

---

**Western Blotting**

Anti c-Myc detects a band of approximately 65 kDa in HeLa cell lysates.

---

**Storage**

Store undiluted at -20°C, avoiding repeated freeze thaw cycles.

---

**Guarantee**

12 months from date of despatch

---

**Acknowledgements**

PrecisionAb is a trademark of Bio-Rad Laboratories

---

**Health And Safety Information**

Material Safety Datasheet documentation #10045 available at: <https://www.bio-rad-antibodies.com/SDS/VPA00575>  
Antibody (10045)

---

**Regulatory**

For research purposes only.

---

## Related Products

### Recommended Secondary Antibodies

Goat Anti Rabbit IgG (H/L) (STAR208...) [HRP](#)

**North & South America** Tel: +1 800 265 7376

Fax: +1 919 878 3751

Email: [antibody\\_sales\\_us@bio-rad.com](mailto:antibody_sales_us@bio-rad.com)

**Worldwide**

Tel: +44 (0)1865 852 700

Fax: +44 (0)1865 852 739

Email: [antibody\\_sales\\_uk@bio-rad.com](mailto:antibody_sales_uk@bio-rad.com)

**Europe**

Tel: +49 (0) 89 8090 95 21

Fax: +49 (0) 89 8090 95 50

Email: [antibody\\_sales\\_de@bio-rad.com](mailto:antibody_sales_de@bio-rad.com)

To find a batch/lot specific datasheet for this product, please use our online search tool at: [bio-rad-antibodies.com/datasheets](http://bio-rad-antibodies.com/datasheets)

**Printed on 18 Jan 2024**

---

© 2024 Bio-Rad Laboratories Inc | [Legal](#) | [Imprint](#)