

Datasheet: VPA00575

Description:	RABBIT ANTI C-MYC
Specificity:	C-MYC
Format:	Purified
Product Type:	PrecisionAb Polyclonal
Isotype:	Polyclonal IgG
Quantity:	100 μΙ

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Western Blotting	•			1/1000

The PrecisionAb label is reserved for antibodies that meet the defined performance criteria within Bio-Rad's ongoing antibody validation programme. Click here to learn how we validate our PrecisionAb range. Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Further optimization may be required dependent on sample type.

Target Species	Human
Species Cross	Reacts with: Mouse
Reactivity	N.B. Antibody reactivity and working conditions may vary between species. Cross reactivity is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information.
Product Form	Purified IgG - liquid.
Preparation	Rabbit polyclonal antibody purified by affinity chromatography.
Buffer Solution	Phosphate buffered saline.
Preservative	0.09% Sodium Azide (NaN ₃)
Stabilisers	2% Sucrose.
Immunogen	Synthetic peptide directed towards the N terminal region of human c-Myc

External	Database
Links	

UniProt:

P01106-2 Related reagents

Specificity

Rabbit anti Human c-Myc antibody recognizes c-Myc, also known as avian myelocytomatosis viral oncogene homolog, class E basic helix-loop-helix protein 39, myc-related translation/localization regulatory factor, transcription factor p64, v-myc myelocytomatosis viral oncogene homolog or proto-oncogene c-myc.

The protein encoded by MYC gene is a multifunctional, nuclear phosphoprotein that plays a role in cell cycle progression, apoptosis and cellular transformation. It functions as a transcription factor that regulates transcription of specific target genes. Mutations, overexpression, rearrangement and translocation of MYC have been associated with a variety of hematopoietic tumors, leukemias and lymphomas, including Burkitt lymphoma (BL). There is evidence to show that alternative translation initiations from an upstream, in-frame non-AUG (CUG) and a downstream AUG start site result in the production of two isoforms with distinct N-termini. The synthesis of non-AUG initiated protein is suppressed in Burkitt's lymphomas, suggesting its importance in the normal function of MYC (provided by RefSeq, Jul 2008).

Rabbit anti Human c-Myc antibody detects a band of 65 kDa. The antibody has been extensively validated for western blotting using whole cell lysates.

Western Blotting	Anti c-Myc detects a band of approximately 65 kDa in HeLa cell lysates.
Storage	Store undiluted at -20°C, avoiding repeated freeze thaw cycles.
Guarantee	12 months from date of despatch.
Acknowledgements	PrecisionAb is a trademark of Bio-Rad Laboratories.
Health And Safety Information	Material Safety Datasheet documentation #10045 available at: https://www.bio-rad-antibodies.com/SDS/VPA00575 Antibody (10045)
Regulatory	For research purposes only.

Related Products

Recommended Secondary Antibodies

Goat Anti Rabbit IgG (H/L) (STAR208...) HRP

North & South Tel: +1 800 265 7376 America Fax: +1 919 878 3751 Worldwide

Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739

Europe

Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50

Email: antibody_sales_us@bio-rad.com

Email: antibody_sales_uk@bio-rad.com

Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M426040:231108'

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint