

Datasheet: VPA00579KT

Description:	TRANSCRIPTION FACTOR E2F2 ANTIBODY WITH CONTROL LYSATE
Specificity:	TRANSCRIPTION FACTOR E2F2
Format:	Purified
Product Type:	PrecisionAb Polyclonal
Isotype:	Polyclonal IgG
Quantity:	2 Westerns

# **Product Details**

# **Applications**

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <a href="www.bio-rad-antibodies.com/protocols">www.bio-rad-antibodies.com/protocols</a>.

	Yes	No	Not Determined	Suggested Dilution
Western Blotting				1/1000

PrecisionAb antibodies have been extensively <u>validated for the western blot</u> <u>application</u>. The antibody has been validated at the suggested dilution. Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Further optimization may be required dependant on sample type.

Target Species	Human				
Species Cross Reactivity	Reacts with: Mouse  N.B. Antibody reactivity and working conditions may vary between species. Cross reactivity is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information.				
Product Form	Purified IgG - liquid.				
Preparation	20μl Rabbit polyclonal antibody purified by affinity chromatography.				
Buffer Solution	Phosphate buffered saline.				
Preservative Stabilisers	0.09% Sodium Azide (NaN <sub>3</sub> ) 2% Sucrose.				
Immunogen	Synthetic peptide directed towards the middle region of human transcription factor E2F2				

# **External Database** Links

**UniProt:** 

Q14209 Related reagents

**Entrez Gene:** 

1870 E2F2 Related reagents

# **Specificity**

Rabbit anti Human transcription factor E2F2 antibody recognizes the transcription factor E2F2.

The protein encoded by the E2F2 gene is a member of the E2F family of transcription factors. The E2F family plays a crucial role in the control of cell cycle and action of tumor suppressor proteins and is also a target of the transforming proteins of small DNA tumor viruses. The E2F proteins contain several evolutionally conserved domains found in most members of the family. These domains include a DNA binding domain, a dimerization domain which determines interaction with the differentiation regulated transcription factor proteins (DP), a transactivation domain enriched in acidic amino acids, and a tumor suppressor protein association domain which is embedded within the transactivation domain. This protein and another 2 members, E2F1 and E2F3, have an additional cyclin binding domain. E2F2 binds specifically to retinoblastoma protein pRB in a cell-cycle dependent manner, and it exhibits overall 46% amino acid identity to E2F1 (provided by RefSeq, Jul 2008).

Rabbit anti Human E2F2 antibody detects a band of 47 kDa. The antibody has been extensively validated for western blotting using whole cell lysates.

### Western Blotting

Anti transcription factor E2F2 detects a band of approximately 47 kDa in NIH/3T3 cell lysates.

### Instructions For Use

Please refer to the PrecisionAb western blotting protocol. For additional information on secondary antibody dilution and exposure time see product web page.

### **Lysate Composition**

400µg NIH/3T3 lysate lyophilized in RIPA buffer.

- Lysate Reconstitution If using DDT reconstitute the lyophilized lysate with 190µl DI H2O, add 200µl 2x Laemmli Sample Buffer and 10µl 2M DTT.
  - If using BME reconstitute the lyophilized lysate with 180µl DI H<sub>2</sub>O, add 200µl 2x Laemmli Sample Buffer and 20µl BME.

Heat at 95°C for 5 minutes. For 10 well mini gels load 25µl. For other gel and comb formats please refer to the PrecisionAb western blotting protocol.

### **Storage**

Antibody: Store undiluted at -20°C, avoiding repeated freeze thaw cycles.

Lysate: Store lyophilized lysate at -20°C. After reconstitution aliquot and store at -20°C for up to 3 months or at -80°C for longer term storage.

# Guarantee

As supplied, 12 months from date of despatch.

Acknowledgements	PrecisionAb™ is a trademark of Bio-Rad Laboratories.		
Health And Safety	Material Safety Datasheet documentation #10045 #10561 available at:		
Information	Antibody (10045): https://www.bio-rad-antibodies.com/uploads/MSDS/10045.pdf		
	Lysate Material (10561): https://www.bio-rad-antibodies.com/uploads/MSDS/10561.pdf		
Regulatory	For research purposes only.		

# **Related Products**

# **Recommended Secondary Antibodies**

Goat Anti Rabbit IgG (H/L) (STAR208...) HRP

North & South Tel: +1 800 265 7376 America

Worldwide Tel: +44 (0)1865 852 700 Europe

Tel: +49 (0) 89 8090 95 21

Fax: +1 919 878 3751

Fax: +44 (0)1865 852 739

Fax: +49 (0) 89 8090 95 50

Email: antibody\_sales\_us@bio-rad.com

Email: antibody\_sales\_uk@bio-rad.com

Email: antibody\_sales\_de@bio-rad.com

From March 15, 2021, we will no longer supply printed datasheets with our products. Look out for updates on how to access your digital version at bio-rad-antibodies.com 'M351615:190318'

# Printed on 10 Feb 2021

© 2021 Bio-Rad Laboratories Inc | Legal | Imprint