

Datasheet: VPA00587

Description:	RABBIT ANTI MEK 2
Specificity:	MEK 2
Format:	Purified
Product Type:	PrecisionAb Polyclonal
Isotype:	Polyclonal IgG
Quantity:	100 µl

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Western Blotting	▪			1/1000

The PrecisionAb label is reserved for antibodies that meet the defined performance criteria within Bio-Rad's ongoing antibody validation programme. Click [here](#) to learn how we validate our PrecisionAb range. Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Further optimization may be required dependent on sample type.

Target Species	Human
Product Form	Purified IgG - liquid.
Preparation	Rabbit polyclonal antibody purified by affinity chromatography.
Buffer Solution	Phosphate buffered saline.
Preservative Stabilisers	0.09% Sodium Azide (NaN ₃) 2% Sucrose.
Immunogen	Synthetic peptide directed towards the N terminal region of human MEK 2

External Database Links

UniProt:

[P36507](#) [Related reagents](#)

Entrez Gene:

[5605](#) MAP2K2 [Related reagents](#)

Synonyms	MEK2, MKK2, PRKMK2
Specificity	<p>Rabbit anti Human MEK 2 antibody recognizes MEK 2 also known as dual specificity mitogen-activated protein kinase kinase 2, also known as ERK activator kinase 2, MAP kinase kinase 2, MAPK/ERK kinase 2, MAPKK2 or p45.</p> <p>The protein encoded by MAP2K2 gene is a dual specificity protein kinase that belongs to the MAP kinase kinase family. This kinase is known to play a critical role in mitogen growth factor signal transduction. It phosphorylates and thus activates MAPK1/ERK2 and MAPK2/ERK3. The activation of this kinase itself is dependent on the Ser/Thr phosphorylation by MAP kinase kinase kinases. Mutations in MAP2K2 gene cause Cardiofaciocutaneous syndrome 4 (CFC4), a disease characterized by heart defects, mental retardation, and distinctive facial features similar to those found in Noonan syndrome (Schulz <i>et al.</i> 2008). The inhibition or degradation of this kinase is also found to be involved in the pathogenesis of <i>Yersinia</i> and anthrax. A pseudogene, which is located on chromosome 7, has been identified for MAP2K2 (provided by RefSeq, Jul 2008).</p> <p>Rabbit anti Human MEK 2 antibody detects a band of 49 kDa. The antibody has been extensively validated for western blotting using whole cell lysates.</p>
Western Blotting	Anti MEK 2 detects a band of approximately 49 kDa in HepG2 cell lysates.
Storage	Store undiluted at -20°C, avoiding repeated freeze thaw cycles.
Guarantee	12 months from date of despatch.
Acknowledgements	PrecisionAb is a trademark of Bio-Rad Laboratories.
Health And Safety Information	Material Safety Datasheet documentation #10045 available at: Antibody (10045): https://www.bio-rad-antibodies.com/uploads/MSDS/10045.pdf
Regulatory	For research purposes only.

Related Products

Recommended Secondary Antibodies

Goat Anti Rabbit IgG (H/L) (STAR208...) [HRP](#)

North & South America	Tel: +1 800 265 7376 Fax: +1 919 878 3751 Email: antibody_sales_us@bio-rad.com	Worldwide	Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Email: antibody_sales_uk@bio-rad.com	Europe	Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50 Email: antibody_sales_de@bio-rad.com
----------------------------------	---	------------------	---	---------------	---

To find a batch/lot specific datasheet for this product, please use our online search tool at: [bio-rad-antibodies.com/datasheets](https://www.bio-rad-antibodies.com/datasheets)

'M402747:220719'

Printed on 13 Sep 2022