

Datasheet: VPA00593KT

Description:	CD8 ALPHA ANTIBODY WITH CONTROL LYSATE
Specificity:	CD8 ALPHA
Format:	Purified
Product Type:	PrecisionAb Polyclonal
Isotype:	Polyclonal IgG
Quantity:	2 Westerns

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Western Blotting	-			1/1000

PrecisionAb antibodies have been extensively <u>validated for the western blot</u> <u>application.</u> The antibody has been validated at the suggested dilution. Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Further optimization may be required dependant on sample type.

Target Species	Human	
Product Form	Purified IgG - liquid.	
Preparation	20μl Rabbit polyclonal antibody purified by affinity chromatogra	aphy.
Buffer Solution	Phosphate buffered saline.	
Preservative Stabilisers	0.09% Sodium Azide (NaN ₃) 2% Sucrose.	
Immunogen	Synthetic peptide directed towards the middle region of human	n CD8 alpha
External Database		

External Database

UniProt:

P01732 Related reagents

Entrez Gene:

925 CD8A Related reagents

Synonyms	MAL				
Specificity	Rabbit anti Human CD8 alpha antibody recognizes the T-cell surface glycoprotein CD8 alpha chain, also known as CD8 antigen, alpha polypeptide (p32), CD8A, Leu2 T-lymphocyte antigen, OKT8 T-cell antigen, T cell co-receptor, T-cell antigen Leu2, T-lymphocyte differentiation antigen T8/Leu-2 or T8 T-cell antigen.				
	The CD8 antigen is a cell surface glycoprotein found on most cytotoxic T lymphocytes that mediates efficient cell-cell interactions within the immune system. The CD8 antigen acts as a coreceptor with the T-cell receptor on the T lymphocyte to recognize antigens displayed by an antigen presenting cell in the context of class I MHC molecules. The coreceptor functions as either a homodimer composed of two alpha chains or as a heterodimer composed of one alpha and one beta chain. Both alpha and beta chains share significant homology to immunoglobulin variable light chains. CD8A gene encodes the CD8 alpha chain. Multiple transcript variants encoding different isoforms have been found for CD8A (provided by RefSeq, Nov 2011).				
	Rabbit anti Human CD8 alpha antibody detects a band of 26 kDa. The antibody has been extensively validated for western blotting using whole cell lysates.				
Western Blotting	Anti CD8 alpha detects a band of approximately 26 kDa in Jurkat cell lysates.				
Instructions For Use	Please refer to the PrecisionAb western blotting protocol.				
Lysate Composition	400μg Jurkat lysate lyophilized in RIPA buffer.				
Lysate Reconstitution	- If using DDT reconstitute the lyophilized lysate with 190μl DI H ₂ O, add 200μl 2x Laemmli Sample Buffer and 10μl 2M DTT If using BME reconstitute the lyophilized lysate with 180μl DI H ₂ O, add 200μl 2x Laemmli Sample Buffer and 20μl BME. Heat at 95°C for 5 minutes. For 10 well mini gels load 25μl. For other gel and comb formats please refer to the PrecisionAb western blotting protocol.				
Storage	Antibody: Store undiluted at -20°C, avoiding repeated freeze thaw cycles.				
	Lysate: Store lyophilized lysate at -20°C. After reconstitution aliquot and store at -20°C for up to 3 months or at -80°C for longer term storage.				
Guarantee	As supplied, 12 months from date of despatch.				
Acknowledgements	PrecisionAb™ is a trademark of Bio-Rad Laboratories.				
Health And Safety Information	Material Safety Datasheet documentation #10045 #10561 available at: Antibody (10045): https://www.bio-rad-antibodies.com/uploads/MSDS/10045.pdf				
	Lysate Material (10561): https://www.bio-rad-antibodies.com/uploads/MSDS/10561.pdf				

Related Products

Recommended Secondary Antibodies

Goat Anti Rabbit IgG (H/L) (STAR208...) HRP

 North & South
 Tel: +1 800 265 7376
 Worldwide
 Tel: +44 (0)1865 852 700
 Europe
 Tel: +49 (0) 89 8090 95 21

 America
 Fax: +1 919 878 3751
 Fax: +44 (0)1865 852 739
 Fax: +49 (0) 89 8090 95 50

From March 15, 2021, we will no longer supply printed datasheets with our products. Look out for updates on how to access your digital version at bio-rad-antibodies.com 'M351660:190318'

Printed on 10 Feb 2021

© 2021 Bio-Rad Laboratories Inc | Legal | Imprint