

Datasheet: VPA00604

Description:	RABBIT ANTI TOPOISOMERASE II ALPHA
Specificity:	TOPOISOMERASE II ALPHA
Format:	Purified
Product Type:	PrecisionAb Polyclonal
Isotype:	Polyclonal IgG
Quantity:	100 µl

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Western Blotting	▪			1/1000

The PrecisionAb label is reserved for antibodies that meet the defined performance criteria within Bio-Rad's ongoing antibody validation programme. Click [here](#) to learn how we validate our PrecisionAb range. Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Further optimization may be required dependent on sample type.

Target Species	Human
Species Cross Reactivity	Reacts with: Mouse N.B. Antibody reactivity and working conditions may vary between species.
Product Form	Purified IgG - liquid
Preparation	Rabbit polyclonal antibody purified by affinity chromatography
Buffer Solution	Phosphate buffered saline
Preservative Stabilisers	0.09% Sodium Azide (NaN ₃) 2% Sucrose
Immunogen	Synthetic peptide directed towards the C terminal region of human topoisomerase II alpha
External Database Links	<p>UniProt: P11388 Related reagents</p> <p>Entrez Gene: 7153 TOP2A Related reagents</p>
Synonyms	TOP2

Specificity	<p>Rabbit anti Human topoisomerase II alpha antibody recognizes the DNA topoisomerase II alpha, also known as DNA gyrase or DNA topoisomerase (ATP-hydrolyzing).</p> <p>TOP2A gene encodes a DNA topoisomerase, an enzyme that controls and alters the topologic states of DNA during transcription. This nuclear enzyme is involved in processes such as chromosome condensation, chromatid separation, and the relief of torsional stress that occurs during DNA transcription and replication. It catalyzes the transient breaking and rejoining of two strands of duplex DNA which allows the strands to pass through one another, thus altering the topology of DNA. Two forms of this enzyme exist as likely products of a gene duplication event. The gene encoding this form, alpha, is localized to chromosome 17 and the beta gene is localized to chromosome 3. The gene encoding this enzyme functions as the target for several anticancer agents and a variety of mutations in TOP2A have been associated with the development of drug resistance. Reduced activity of this enzyme may also play a role in ataxia-telangiectasia (provided by RefSeq, Jul 2010).</p> <p>Rabbit anti Human topoisomerase II alpha antibody detects a band of 190 kDa. The antibody has been extensively validated for western blotting using whole cell lysates.</p>
Western Blotting	Anti topoisomerase II alpha detects a band of approximately 190 kDa in NIH/3T3 cell lysates
Storage	Store undiluted at -20°C, avoiding repeated freeze thaw cycles
Guarantee	12 months from date of despatch
Acknowledgements	PrecisionAb is a trademark of Bio-Rad Laboratories
Health And Safety Information	Material Safety Datasheet documentation #10045 available at: Antibody (10045): https://www.bio-rad-antibodies.com/uploads/MSDS/10045.pdf
Regulatory	For research purposes only

Related Products

Recommended Secondary Antibodies

Goat Anti Rabbit IgG (H/L) (STAR208...) [HRP](#)

North & South Tel: +1 800 265 7376

America Fax: +1 919 878 3751

Email: antibody_sales_us@bio-rad.com

Worldwide

Tel: +44 (0)1865 852 700

Fax: +44 (0)1865 852 739

Email: antibody_sales_uk@bio-rad.com

Europe

Tel: +49 (0) 89 8090 95 21

Fax: +49 (0) 89 8090 95 50

Email: antibody_sales_de@bio-rad.com

'M370905:200529'

Printed on 11 Aug 2020