

Datasheet: VPA00613KT

Description:	RXRB ANTIBODY WITH CONTROL LYSATE				
Specificity:	RXRB				
Format:	Purified				
Product Type:	PrecisionAb Polyclonal				
Isotype:	Polyclonal IgG				
Quantity:	2 Westerns				

Product Details

Applications	This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal						
	communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit						

	6257 RXRB Related reagents						
Synonyms	NR2B2						
Specificity	Rabbit anti Human RXRB antibody recognizes the retinoic acid receptor RXR-beta, also known as MHC class I promoter binding protein or nuclear receptor subfamily 2 group B member 2.						
	The RXRB gene encodes a member of the retinoid X receptor (RXR) family of nuclear receptors which are involved in mediating the effects of retinoic acid (RA). The encoded protein forms homodimers with the retinoic acid, thyroid hormone, and vitamin D receptors, increasing both DNA binding and transcriptional function on their respective response elements. RXRB lies within the major histocompatibility complex (MHC) class II region on chromosome 6. Alternatively spliced transcript variants encoding multiple isoforms have been observed for RXRB (provided by RefSeq, Jul 2012).						
	Rabbit anti Human RXRB antibody detects a band of 70 kDa. The antibody has been extensively validated for western blotting using whole cell lysates.						
Western Blotting	Rabbit anti RXRB detects a band of approximately 70 kDa in K562 cell lysates						
Instructions For Use	Please refer to the <u>PrecisionAb western blotting protocol</u> . For additional information on secondary antibody dilution and exposure time see product web page.						
Lysate Composition	400µg K562 lysate lyophilized in RIPA buffer.						
Lysate Reconstitution	- If using DDT reconstitute the lyophilized lysate with 190µl DI H ₂ O, add 200µl 2x Laemmli Sample Buffer and 10µl 2M DTT.						
	- If using BME reconstitute the lyophilized lysate with 180µl DI H ₂ O, add 200µl 2x Laemmli						
	Sample Buffer and 20µI BME.						
	Sample Buffer and 20µI BME. Heat at 95°C for 5 minutes. For 10 well mini gels load 25µI. For other gel and comb formats please refer to the PrecisionAb western blotting protocol.						
Storage	Heat at 95°C for 5 minutes. For 10 well mini gels load 25μl. For other gel and comb						
Storage	Heat at 95°C for 5 minutes. For 10 well mini gels load 25µl. For other gel and comb formats please refer to the PrecisionAb western blotting protocol.						
Storage Guarantee	Heat at 95°C for 5 minutes. For 10 well mini gels load 25µl. For other gel and comb formats please refer to the PrecisionAb western blotting protocol. Antibody: Store undiluted at -20°C, avoiding repeated freeze thaw cycles. Lysate: Store lyophilized lysate at -20°C. After reconstitution aliquot and store at -20°C for						
	Heat at 95°C for 5 minutes. For 10 well mini gels load 25µl. For other gel and comb formats please refer to the PrecisionAb western blotting protocol. Antibody: Store undiluted at -20°C, avoiding repeated freeze thaw cycles. Lysate: Store lyophilized lysate at -20°C. After reconstitution aliquot and store at -20°C for up to 3 months or at -80°C for longer term storage.						
Guarantee	Heat at 95°C for 5 minutes. For 10 well mini gels load 25µl. For other gel and comb formats please refer to the PrecisionAb western blotting protocol. Antibody: Store undiluted at -20°C, avoiding repeated freeze thaw cycles. Lysate: Store lyophilized lysate at -20°C. After reconstitution aliquot and store at -20°C for up to 3 months or at -80°C for longer term storage. As supplied, 12 months from date of despatch						

Related Products

Recommended Secondary Antibodies

Goat Anti Rabbit IgG (H/L) (STAR208...) HRP

North & South	Tel: +1 800 265 7376	Worldwide	Tel: +44 (0)1865 852 700	Europe	Tel: +49 (0) 89 8090 95 21
America	Fax: +1 919 878 3751		Fax: +44 (0)1865 852 739		Fax: +49 (0) 89 8090 95 50
	Email: antibody_sales_us@bio-rad.com		Email: antibody_sales_uk@bio-rad.com		Email: antibody_sales_de@bio-rad.com

From March 15, 2021, we will no longer supply printed datasheets with our products. Look out for updates on how to access your digital version at bio-rad-antibodies.com 'M351452:190318'

Printed on 10 Feb 2021

© 2021 Bio-Rad Laboratories Inc | Legal | Imprint