

Datasheet: VPA00640

BATCH NUMBER 161116

Description:	RABBIT ANTI IMPDH2
Specificity:	IMPDH2
Format:	Purified
Product Type:	PrecisionAb Polyclonal
Isotype:	Polyclonal IgG
Quantity:	100 µl

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Western Blotting	■			1/1000

The PrecisionAb label is reserved for antibodies that meet the defined performance criteria within Bio-Rad's ongoing antibody validation programme. Click [here](#) to learn how we validate our PrecisionAb range. Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Further optimization may be required dependent on sample type.

Target Species	Human
Product Form	Purified IgG - liquid
Preparation	Rabbit polyclonal antibody purified by affinity chromatography
Buffer Solution	Phosphate buffered saline
Preservative Stabilisers	0.09% Sodium Azide 2% Sucrose
Immunogen	Synthetic peptide encompassing part of the N terminal region of human IMPDH2

External Database Links

UniProt:

[P12268](#)

[Related reagents](#)

Entrez Gene:[3615](#) IMPDH2 [Related reagents](#)

Synonyms	IMPD2
Specificity	<p>Rabbit anti Human IMPDH2 antibody recognizes inosine-5'-monophosphate dehydrogenase 2, also known as IMP (inosine monophosphate) dehydrogenase 2, IMP oxireductase 2, inosine 5' phosphate dehydrogenase 2 or inosine monophosphate dehydrogenase type II.</p> <p>The IMPDH2 gene encodes the rate-limiting enzyme in the de novo guanine nucleotide biosynthesis. It is thus involved in maintaining cellular guanine deoxy- and ribonucleotide pools needed for DNA and RNA synthesis. The encoded protein catalyzes the NAD-dependent oxidation of inosine-5'-monophosphate into xanthine-5'-monophosphate, which is then converted into guanosine-5'-monophosphate. IMPDH2 is up-regulated in some neoplasms, suggesting it may play a role in malignant transformation (provided by RefSeq, Jul 2008).</p> <p>Rabbit anti Human IMPDH2 antibody detects a band of 56 kDa. The antibody has been extensively validated for western blotting using whole cell lysates.</p>
Western Blotting	Rabbit anti IMPDH2 detects a band of approximately 56 kDa in K562 cell lysates
Storage	Store undiluted at -20°C, avoiding repeated freeze thaw cycles.
Guarantee	12 months from date of despatch
Acknowledgements	PrecisionAb is a trademark of Bio-Rad Laboratories
Health And Safety Information	Material Safety Datasheet documentation #10045 available at: https://www.bio-rad-antibodies.com/SDS/VPA00640 Antibody (10045)
Regulatory	For research purposes only

Related Products

Recommended Secondary Antibodies

Goat Anti Rabbit IgG (H/L) (STAR208...) [HRP](#)

North & South Tel: +1 800 265 7376

America Fax: +1 919 878 3751

Email: antibody_sales_us@bio-rad.com

Worldwide

Tel: +44 (0)1865 852 700

Fax: +44 (0)1865 852 739

Email: antibody_sales_uk@bio-rad.com

Europe

Tel: +49 (0) 89 8090 95 21

Fax: +49 (0) 89 8090 95 50

Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: [bio-rad-antibodies.com/datasheets](https://www.bio-rad-antibodies.com/datasheets)

'M370937:200529'

Printed on 13 Aug 2023

