

Datasheet: VPA00644KT

Description:	WDR77 ANTIBODY WITH CONTROL LYSATE
Specificity:	WDR77
Format:	Purified
Product Type:	PrecisionAb Polyclonal
Isotype:	Polyclonal IgG
Quantity:	2 Westerns

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Western Blotting	▪			1/1000

PrecisionAb antibodies have been extensively [validated for the western blot application](#). The antibody has been validated at the suggested dilution. Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Further optimization may be required dependant on sample type.

Target Species	Human
Product Form	Purified IgG - liquid
Preparation	20µl Rabbit polyclonal antibody purified by affinity chromatography
Buffer Solution	Phosphate buffered saline
Preservative	0.09% Sodium Azide
Stabilisers	2% Sucrose
Immunogen	Synthetic peptide encompassing part of the N terminal region of human WDR77
External Database Links	<p>UniProt:</p> <p>Q9BQA1 Related reagents</p> <p>Entrez Gene:</p>

Synonyms	MEP50
-----------------	-------

Specificity	<p>Rabbit anti Human WDR77 antibody recognizes methylosome protein 50, also known as WD repeat-containing protein 77 or androgen receptor cofactor p44.</p> <p>WDR77 is a component of the 20S PRMT5 (MIM 604045)-containing methyltransferase complex, which modifies specific arginines to dimethylarginines in several spliceosomal Sm proteins (see MIM 601061). This modification targets Sm proteins to the survival of motor neurons (SMN) complex (see MIM 600354) for assembly into small nuclear ribonucleoprotein core particles (Friesen et al. 2002).</p> <p>Rabbit anti Human WDR77 antibody detects a band of 42 kDa. The antibody has been extensively validated for western blotting using whole cell lysates.</p>
--------------------	--

Western Blotting	Rabbit anti WDR77 detects a band of approximately 42 kDa in HeLa cell lysates
-------------------------	---

Instructions For Use	Please refer to the PrecisionAb western blotting protocol . For additional information on secondary antibody dilution and exposure time see product web page.
-----------------------------	---

Lysate Composition	400µg HeLa lysate lyophilized in RIPA buffer.
---------------------------	---

Lysate Reconstitution	<p>- If using DDT reconstitute the lyophilized lysate with 190µl DI H₂O, add 200µl 2x Laemmli Sample Buffer and 10µl 2M DTT.</p> <p>- If using BME reconstitute the lyophilized lysate with 180µl DI H₂O, add 200µl 2x Laemmli Sample Buffer and 20µl BME.</p> <p>Heat at 95°C for 5 minutes. For 10 well mini gels load 25µl. For other gel and comb formats please refer to the PrecisionAb western blotting protocol.</p>
------------------------------	--

Storage	<p>Antibody: Store undiluted at -20°C, avoiding repeated freeze thaw cycles.</p> <p>Lysate: Store lyophilized lysate at -20°C. After reconstitution aliquot and store at -20°C for up to 3 months or at -80°C for longer term storage.</p>
----------------	--

Guarantee	As supplied, 12 months from date of despatch
------------------	--

Acknowledgements	PrecisionAb™ is a trademark of Bio-Rad Laboratories
-------------------------	---

Health And Safety Information	<p>Material Safety Datasheet documentation #10045 #10561 available at: Antibody (10045): https://www.bio-rad-antibodies.com/uploads/MSDS/10045.pdf Lysate Material (10561): https://www.bio-rad-antibodies.com/uploads/MSDS/10561.pdf</p>
--------------------------------------	---

Regulatory	For research purposes only
-------------------	----------------------------

Related Products

Recommended Secondary Antibodies

Goat Anti Rabbit IgG (H/L) (STAR208...) [HRP](#)

North & South America	Tel: +1 800 265 7376 Fax: +1 919 878 3751 Email: antibody_sales_us@bio-rad.com	Worldwide	Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Email: antibody_sales_uk@bio-rad.com	Europe	Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50 Email: antibody_sales_de@bio-rad.com
----------------------------------	---	------------------	---	---------------	---

From March 15, 2021, we will no longer supply printed datasheets with our products.
Look out for updates on how to access your digital version at bio-rad-antibodies.com

'M351637:190318'

Printed on 10 Feb 2021

© 2021 Bio-Rad Laboratories Inc | [Legal](#) | [Imprint](#)