

Datasheet: VPA00659

Description:	RABBIT ANTI TUBULIN ALPHA 3C/D CHAIN
Specificity:	TUBULIN ALPHA 3C/D CHAIN
Format:	Purified
Product Type:	PrecisionAb Polyclonal
Isotype:	Polyclonal IgG
Quantity:	100 µl

Product Details

Applications	This product has been re derived from testing withi communications from the information. For general <u>rad-antibodies.com/proto</u> Western Blotting	in our labo e originato protocol r	oratories, ors. Please	peer-reviewed publica e refer to references in	tions or personal dicated for further
	The PrecisionAb label i criteria within Bio-Rad's how we validate our Pre- use in a particular technic	s ongoin ecisionA que this d	g antibod b range. V loes not n	ly validation program Where this product has ecessarily exclude its	e defined performance ame. Click <u>here</u> to learn s not been tested for
Target Species	Further optimization may Human	be requii	red depen	dent on sample type.	
Species Cross Reactivity	Reacts with: Mouse N.B. Antibody reactivity and working conditions may vary between species. Cross reactivity is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information.				
Product Form	Purified IgG - liquid				
Preparation	Rabbit polyclonal antiboc	ly purified	by affinit	y chromatography.	
Buffer Solution	Phosphate buffered salin	e.			
Preservative Stabilisers	0.09% Sodium Azide 2% Sucrose				
Immunogen	Synthetic peptide encom 3C/D chain	passing p	part of the	N terminal region of h	uman tubulin alpha

External Database	UniProt:		
Links	Q13748 Related reagents		
	Entrez Gene:		
	113457 TUBA3D Related reagents		
Synonyms	TUBA2		
Specificity	Rabbit anti Human tubulin alpha 3C/D chain antibody recognizes the tubulin alpha 3C/D chain, also known as alpha-tubulin 2, tubulin alpha-2 chain or tubulin alpha 2.		
	Microtubules of the eukaryotic cytoskeleton perform essential and diverse functions and are composed of a heterodimer of alpha and beta tubulin. The genes encoding these microtubule constituents are part of the tubulin superfamily, which is composed of six distinct families. Genes from the alpha, beta and gamma tubulin families are found in all eukaryotes. The alpha and beta tubulins represent the major components of microtubules, while gamma tubulin plays a critical role in the nucleation of microtubule assembly. There are multiple alpha and beta tubulin genes and they are highly conserved among and between species. TUBA3C is an alpha tubulin gene that encodes a protein 99% identical to the mouse testis-specific Tuba3 and Tuba7 gene products. TUBA3C gene is located in the 13q11 region, which is associated with the genetic diseases Clouston hidrotic ectodermal dysplasia and Kabuki syndrome (provided by RefSeq, Jul 2008).		
Western Blotting	antibody has been extensively validated for western blotting using whole cell lysates. Rabbit anti tubulin alpha 3C/D chain detects a band of approximately 50 kDa in Jurkat cell		
	lysates.		
Storage	Store undiluted at -20°C, avoiding repeated freeze thaw cycles.		
Guarantee	12 months from date of despatch.		
Acknowledgements	PrecisionAb is a trademark of Bio-Rad Laboratories.		
Health And Safety Information	Material Safety Datasheet documentation #10045 available at: https://www.bio-rad-antibodies.com/SDS/VPA00659 Antibody (10045)		
Regulatory	For research purposes only.		

Related Products

Recommended Secondary Antibodies

Goat Anti Rabbit IgG (H/L) (STAR208...) HRP

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets

North & South Tel: +1 800 265 7376 America

Fax: +1 919 878 3751

Worldwide

Tel: +44 (0)1865 852 700 Europe Fax: +44 (0)1865 852 739 Email: antibody_sales_uk@bio-rad.com

Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50 Email: antibody_sales_de@bio-rad.com

Printed on 13 Aug 2023

'M403040:220720'

© 2023 Bio-Rad Laboratories Inc | Legal | Imprint

Email: antibody_sales_us@bio-rad.com