

## Datasheet: VPA00663KT

| Description:  | ADD1 ANTIBODY WITH CONTROL LYSATE |
|---------------|-----------------------------------|
| Specificity:  | ADD1                              |
| Format:       | Purified                          |
| Product Type: | PrecisionAb™ Polyclonal           |
| Isotype:      | Polyclonal IgG                    |
| Quantity:     | 2 Westerns                        |
|               |                                   |

# **Product Details**

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

|                  | Yes | No | Not Determined | Suggested Dilution |
|------------------|-----|----|----------------|--------------------|
| Western Blotting | -   |    |                | 1/1000             |

**PrecisionAb antibodies have been extensively** <u>validated for the western blot application</u>. The antibody has been validated at the suggested dilution. Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Further optimization may be required dependant on sample type.

| Target Species              | Human  |  |  |
|-----------------------------|--|--|--|
| Product Form                | Purified IgG - liquid  |  |  |
| Preparation                 | 20µl Rabbit polyclonal antibody purified by affinity chromatography  |  |  |
| Buffer Solution             | TRIS buffered glycine  |  |  |
| Preservative<br>Stabilisers | 0.01% Thimerosal<br><50% Glycerol  |  |  |
| Immunogen                   | Recombinant protein encompassing part of the middle region of human ADD1                                     |  |  |
| External Database<br>Links  | UniProt:<br><u>P35611</u> <u>Related reagents</u><br>Entrez Gene:<br><u>118</u> ADD1 <u>Related reagents</u> |  |  |
| Synonyms                    | ADDA   |  |  |
| Specificity                 | Rabbit anti Human ADD1 antibody recognizes alpha-adducin, also known as alpha-adducin, ADD1 or ADDA.         |  |  |

|                                  | Adducins are a family of cytoskeleton proteins encoded by three genes (alpha, beta, gamma).<br>Adducin is a heterodimeric protein that consists of related subunits, which are produced from<br>distinct genes but share a similar structure. Alpha- and beta-adducin include a protease-resistant<br>N-terminal region and a protease-sensitive, hydrophilic C-terminal region. Alpha- and gamma-<br>adducins are ubiquitously expressed. Adducin binds with high affinity to Ca(2+)/calmodulin and is a<br>substrate for protein kinases A and C. Alternative splicing results in multiple variants encoding<br>distinct isoforms; however, not all variants have been fully described (provided by RefSeq, Jul<br>2008). |  |  |  |  |  |  |
|----------------------------------|---|--|--|--|--|--|--|
|                                  | Rabbit anti Human ADD1 antibody detects a band of 120 kDa. The antibody has been extensively validated for western blotting using whole cell lysates.   |  |  |  |  |  |  |
| Western Blotting                 | Rabbit anti ADD1 detects a band of approximately 120 kDa in HEK293 cell lysates   |  |  |  |  |  |  |
| Instructions For Use             | Please refer to the <u>PrecisionAb western blotting protocol.</u> For additional information on secondary antibody dilution and exposure time see product web page.   |  |  |  |  |  |  |
| Lysate Composition               | 400µg HEK293 lysate lyophilized in RIPA buffer.   |  |  |  |  |  |  |
| Lysate Reconstitution            | <ul> <li>If using DDT reconstitute the lyophilized lysate with 190µl DI H<sub>2</sub>O, add 200µl 2x Laemmli Sample Buffer and 10µl 2M DTT.</li> <li>If using BME reconstitute the lyophilized lysate with 180µl DI H<sub>2</sub>O, add 200µl 2x Laemmli Sample Buffer and 20µl BME.</li> <li>Heat at 95°C for 5 minutes. For 10 well mini gels load 25µl. For other gel and comb formats please refer to the PrecisionAb western blotting protocol.</li> </ul>   |  |  |  |  |  |  |
| Storage                          | Antibody: Store undiluted at -20°C, avoiding repeated freeze thaw cycles.   |  |  |  |  |  |  |
|                                  | Lysate: Store lyophilized lysate at -20°C. After reconstitution aliquot and store at -20°C for up to 3 months or at -80°C for longer term storage.  |  |  |  |  |  |  |
| Shelf Life                       | As supplied, 12 months from date of despatch  |  |  |  |  |  |  |
| Acknowledgements                 | PrecisionAb™ is a trademark of Bio-Rad Laboratories   |  |  |  |  |  |  |
| Health And Safety<br>Information | Material Safety Datasheet documentation #20357 #10561 available at:<br>Antibody (20357): <u>https://www.bio-rad-antibodies.com/uploads/MSDS/20357.pdf</u><br>Lysate Material (10561): <u>https://www.bio-rad-antibodies.com/uploads/MSDS/10561.pdf</u>  |  |  |  |  |  |  |
| Regulatory                       | For research purposes only  |  |  |  |  |  |  |

## **Related Products**

## **Recommended Secondary Antibodies**

Goat Anti Rabbit IgG (H/L) (STAR208...) HRP

| North & South | Tel: +1 800 265 7376            | Worldwide | Tel: +44 (0)1865 852 700        | Europe | Tel: +49 (0) 89 8090 95 21           |
|---------------|---------------------------------|-----------|---------------------------------|--------|--------------------------------------|
| America       | Fax: +1 919 878 3751            |           | Fax: +44 (0)1865 852 739        |        | Fax: +49 (0) 89 8090 95 50           |
|               | Email: antibody_sales_us@bio-ra | d.com     | Email: antibody_sales_uk@bio-ra | ad.com | Email: antibody_sales_de@bio-rad.com |

'M336095:181214'

#### Printed on 02 Jan 2019

© 2019 Bio-Rad Laboratories Inc | Legal | Imprint