

Datasheet: VPA00665

Description:	RABBIT ANTI APOLIPOPROTEIN E
Specificity:	APOLIPOPROTEIN E
Format:	Purified
Product Type:	PrecisionAb Polyclonal
Isotype:	Polyclonal IgG
Quantity:	100 µl

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Western Blotting	▪			1/1000

The PrecisionAb label is reserved for antibodies that meet the defined performance criteria within Bio-Rad's ongoing antibody validation programme. Click [here](#) to learn how we validate our PrecisionAb range. Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Further optimization may be required dependent on sample type.

Target Species	Human
Product Form	Purified IgG - liquid
Preparation	Rabbit polyclonal antibody purified by affinity chromatography.
Buffer Solution	Phosphate buffered saline.
Preservative Stabilisers	0.04% ProClin 300 20% Glycerol
Approx. Protein Concentrations	IgG concentration 0.5 mg/ml
Immunogen	Carrier-protein conjugated synthetic peptide encompassing part of the C terminal region of human apolipoprotein E
External Database Links	UniProt:

Entrez Gene:[348](#)

APOE

[Related reagents](#)**Specificity**

Rabbit anti Human apolipoprotein E antibody recognizes apolipoprotein E, also known as apolipoprotein E3, APOE, APO-E, or LPG.

Chylomicron remnants and very low density lipoprotein (VLDL) remnants are rapidly removed from the circulation by receptor-mediated endocytosis in the liver. Apolipoprotein E, a main apoprotein of the chylomicron, binds to a specific receptor on liver cells and peripheral cells. ApoE is essential for the normal catabolism of triglyceride-rich lipoprotein constituents. The APOE gene is mapped to chromosome 19 in a cluster with APOC1 and APOC2. Defects in apolipoprotein E result in familial dysbetalipoproteinemia, or type III hyperlipoproteinemia (HLP III), in which increased plasma cholesterol and triglycerides are the consequence of impaired clearance of chylomicron and VLDL remnants (provided by RefSeq, Jul 2008).

Rabbit anti Human apolipoprotein E antibody detects a band of 35 kDa. The antibody has been extensively validated for western blotting using whole cell lysates.

Western Blotting

Rabbit anti apolipoprotein E detects a band of approximately 35 kDa in HepG2 cell lysates.

Storage

This product is shipped at ambient temperature.
Store undiluted at -20°C, avoiding repeated freeze thaw cycles.

Guarantee

12 months from date of despatch.

Acknowledgements

PrecisionAb is a trademark of Bio-Rad Laboratories.
ProClin is a trademark of The Dow Chemical Company ("Dow") or an affiliated company of Dow.

Health And Safety Information

Material Safety Datasheet documentation #20358 available at:
<https://www.bio-rad-antibodies.com/SDS/VPA00665>
20358

Regulatory

For research purposes only.

Related Products

Recommended Secondary Antibodies

Goat Anti Rabbit IgG (H/L) (STAR208...) [HRP](#)

North & South America

Tel: +1 800 265 7376

Fax: +1 919 878 3751

Email: antibody_sales_us@bio-rad.com**Worldwide**

Tel: +44 (0)1865 852 700

Fax: +44 (0)1865 852 739

Email: antibody_sales_uk@bio-rad.com**Europe**

Tel: +49 (0) 89 8090 95 21

Fax: +49 (0) 89 8090 95 50

Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: [bio-rad-antibodies.com/datasheets](https://www.bio-rad-antibodies.com/datasheets)

Printed on 23 May 2025