

Datasheet: VPA00678 BATCH NUMBER 161118

Description:	RABBIT ANTI COFILIN 1	
Specificity:	COFILIN 1	
Format:	Purified	
Product Type:	PrecisionAb Polyclonal	
Isotype:	Polyclonal IgG	
Quantity:	100 μΙ	

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Western Blotting	•			1/1000

The PrecisionAb label is reserved for antibodies that meet the defined performance criteria within Bio-Rad's ongoing antibody validation programme. Click here to learn how we validate our PrecisionAb range. Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Further optimization may be required dependent on sample type.

Target Species	Human	
Species Cross Reactivity	Reacts with: Mouse, Rat N.B. Antibody reactivity and working conditions may vary betwee reactivity is derived from testing within our laboratories, peer-repersonal communications from the originators. Please refer to further information.	eviewed publications or
Product Form	Purified IgG - liquid	
Preparation	Rabbit polyclonal antibody purified by affinity chromatography	
Buffer Solution	TRIS buffered glycine	
Preservative Stabilisers	0.01% Thiomersal <50% Glycerol	

lmmunogen	Recombinant protein	encompassing part of the	middle region of human	cofilin 1

External	Database
Links	

UniProt:

P23528 Related reagents

Entrez Gene:

1072 CFL1 Related reagents

Synonyms

CFL

Specificity

Rabbit anti Human cofilin 1 antibody recognizes cofilin 1, also known as 18 kDa phosphoprotein, cofilin, non-muscle isoform, cofilin-1 or epididymis secretory protein Li 15, p18.

The protein encoded by CFL1 gene can polymerize and depolymerize F-actin and G-actin in a pH-dependent manner. Increased phosphorylation of this protein by LIM kinase aids in Rho-induced reorganization of the actin cytoskeleton. Cofilin is a widely distributed intracellular actin-modulating protein that binds and depolymerizes filamentous F-actin and inhibits the polymerization of monomeric G-actin in a pH-dependent manner. It is involved in the translocation of actin-cofilin complex from cytoplasm to nucleus (supplied by OMIM, Apr 2004).

Rabbit anti Human cofilin 1 antibody detects a band of 19 kDa. The antibody has been extensively validated for western blotting using whole cell lysates.

Western Blotting	Rabbit anti cofilin 1 detects a band of approximately 19 kDa in A431 cell lysates	
Storage	Store undiluted at -20°C, avoiding repeated freeze thaw cycles.	
Guarantee	12 months from date of despatch	
Acknowledgements	PrecisionAb is a trademark of Bio-Rad Laboratories	
Health And Safety Information	Material Safety Datasheet documentation #20357 available at: https://www.bio-rad-antibodies.com/SDS/VPA00678 Antibody (20357)	
Regulatory	For research purposes only	

Related Products

Recommended Secondary Antibodies

Goat Anti Rabbit IgG (H/L) (STAR208...) HRP

North & South Tel: +1 800 265 7376

America

Fax: +1 919 878 3751

Worldwide

Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Europe

Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50

Email: antibody_sales_us@bio-rad.com

Email: antibody_sales_uk@bio-rad.com

Email: antibody_sales_de@bio-rad.com

Printed on 18 Jan 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint