

# Datasheet: VPA00682

Description:	RABBIT ANTI PARAOXONASE 2
Specificity:	PARAOXONASE 2
Format:	Purified
Product Type:	PrecisionAb Polyclonal
Isotype:	Polyclonal IgG
Quantity:	100 µl

### **Product Details**

Applications	This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <u>www.bio-rad-antibodies.com/protocols</u> .							
		Yes	No	Not Determined	Suggested Dilution			
	Western Blotting	•			1/1000			
	The PrecisionAb label i				•			
	criteria within Bio-Rad		-					
	how we validate our Pr							
	use in a particular techni Further optimization may	•		-	use in such procedures.			
Target Species	Human							
Species Cross Reactivity	Reacts with: Mouse <b>N.B.</b> Antibody reactivity and working conditions may vary between species. Cross reactivity is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information.							
Product Form	Purified IgG - liquid							
Preparation	Rabbit polyclonal antiboo	dy purified	by affinity	/ chromatography.				
Buffer Solution	TRIS buffered glycine.							
Preservative	0.01% Thiomersal							
Stabilisers	<50% Glycerol							
Immunogen	Recombinant protein end	compassir	ng part of t	the middle region of hu	uman paraoxonase 2			

External Database Links	UniProt: <u>Q15165</u> <u>Related reagents</u>				
	Entrez Gene: 5445 PON2 <u>Related reagents</u>				
Specificity	Rabbit anti Human paraoxonase 2 antibody recognizes serum paraoxonase/arylesterase 2, also known as A-esterase 2, PON 2, arylesterase 2 or serum aryldialkylphosphatase 2.				
	The PON2 gene encodes a member of the paraoxonase gene family, which includes three known members located adjacent to each other on the long arm of chromosome 7. The encoded protein is ubiquitously expressed in human tissues, membrane-bound, and may act as a cellular antioxidant, protecting cells from oxidative stress. Hydrolytic activity against acylhomoserine lactones, important bacterial quorum-sensing mediators, suggests the encoded protein may also play a role in defense responses to pathogenic bacteria. Mutations in PON2 may be associated with vascular disease and a number of quantitative phenotypes related to diabetes. Alternatively spliced transcript variants encoding different isoforms have been described (provided by RefSeq, Jul 2008).				
	Rabbit anti Human paraoxonase 2 antibody detects a band of 39, 41 kDa. The antibody has been extensively validated for western blotting using whole cell lysates.				
Western Blotting	Rabbit anti paraoxonase 2 detects bands of approximately 39 and 41 kDa in HeLa cell lysates.				
Storage	Store undiluted at -20°C, avoiding repeated freeze thaw cycles.				
Guarantee	12 months from date of despatch.				
Acknowledgements	PrecisionAb is a trademark of Bio-Rad Laboratories.				
Health And Safety Information	Material Safety Datasheet documentation #20357 available at: https://www.bio-rad-antibodies.com/SDS/VPA00682 Antibody (20357)				
Regulatory	For research purposes only.				

## **Related Products**

#### **Recommended Secondary Antibodies**

Goat Anti Rabbit IgG (H/L) (STAR208...) HRP

North & South	Tel: +1 800 265 7376	Worldwide	Tel: +44 (0)1865 852 700	Europe	Tel: +49 (0) 89 8090 95 21
America	Fax: +1 919 878 3751		Fax: +44 (0)1865 852 739		Fax: +49 (0) 89 8090 95 50
	Email: antibody_sales_us@bio-ra	id.com	Email: antibody_sales_uk@bio-	rad.com	Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets

'M403121:220721'

#### Printed on 13 Aug 2023

© 2023 Bio-Rad Laboratories Inc | Legal | Imprint