

## Datasheet: VPA00688KT

|                      |                                    |
|----------------------|------------------------------------|
| <b>Description:</b>  | PSMB7 ANTIBODY WITH CONTROL LYSATE |
| <b>Specificity:</b>  | PSMB7                              |
| <b>Format:</b>       | Purified                           |
| <b>Product Type:</b> | PrecisionAb Polyclonal             |
| <b>Isotype:</b>      | Polyclonal IgG                     |
| <b>Quantity:</b>     | 2 Westerns                         |

### Product Details

#### Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit [www.bio-rad-antibodies.com/protocols](http://www.bio-rad-antibodies.com/protocols).

|                  | Yes | No | Not Determined | Suggested Dilution |
|------------------|-----|----|----------------|--------------------|
| Western Blotting | ▪   |    |                | 1/1000             |

**PrecisionAb antibodies have been extensively [validated for the western blot application](#).** The antibody has been validated at the suggested dilution. Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Further optimization may be required dependant on sample type.

#### Target Species

Human

#### Species Cross Reactivity

Reacts with: Mouse

**N.B.** Antibody reactivity and working conditions may vary between species. Cross reactivity is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information.

#### Product Form

Purified IgG - liquid

#### Preparation

20µl Rabbit polyclonal antibody purified by affinity chromatography on Protein A

#### Buffer Solution

Phosphate buffered saline

#### Preservative Stabilisers

0.09% Sodium Azide

#### Immunogen

KLH conjugated synthetic peptide encompassing part of human PSMB7 (amino acids 180

---

**External Database****Links****UniProt:**[Q99436](#)[Related reagents](#)**Entrez Gene:**[5695](#)

PSMB7

[Related reagents](#)

---

**Synonyms**

Z

---

**Specificity**

**Rabbit anti Human PSMB7 antibody** recognizes the proteasome subunit beta type-7, also known as macropain chain Z, multicatalytic endopeptidase complex chain Z, proteasome catalytic subunit 2 or proteasome subunit Z.

The proteasome is a multicatalytic proteinase complex with a highly ordered ring-shaped 20S core structure. The core structure is composed of 4 rings of 28 non-identical subunits; 2 rings are composed of 7 alpha subunits and 2 rings are composed of 7 beta subunits. Proteasomes are distributed throughout eukaryotic cells at a high concentration and cleave peptides in an ATP/ubiquitin-dependent process in a non-lysosomal pathway. The encoded protein is a member of the proteasome B-type family, also known as the T1B family, and is a 20S core beta subunit in the proteasome. Expression of this catalytic subunit is downregulated by gamma interferon, and proteolytic processing is required to generate a mature subunit. A pseudogene of PSMB7 is located on the long arm of chromosome 14 (provided by RefSeq, Jul 2012).

Rabbit anti Human PSMB7 antibody detects a band of 28 kDa. The antibody has been extensively validated for western blotting using whole cell lysates.

---

**Western Blotting**

Rabbit anti PSMB7 detects a band of approximately 28 kDa in MCF7 cell lysates

---

**Instructions For Use**

Please refer to the [PrecisionAb western blotting protocol](#). For additional information on secondary antibody dilution and exposure time see product web page.

---

**Lysate Composition**

400µg MCF7 lysate lyophilized in RIPA buffer.

---

**Lysate Reconstitution**

- If using DDT reconstitute the lyophilized lysate with 190µl DI H<sub>2</sub>O, add 200µl 2x Laemmli Sample Buffer and 10µl 2M DTT.

- If using BME reconstitute the lyophilized lysate with 180µl DI H<sub>2</sub>O, add 200µl 2x Laemmli Sample Buffer and 20µl BME.

Heat at 95°C for 5 minutes. For 10 well mini gels load 25µl. For other gel and comb formats please refer to the PrecisionAb western blotting protocol.

---

**Storage**

Antibody: Store undiluted at -20°C, avoiding repeated freeze thaw cycles.

Lysate: Store lyophilized lysate at -20°C. After reconstitution aliquot and store at -20°C for up to 3 months or at -80°C for longer term storage.

---

**Guarantee** As supplied, 12 months from date of despatch

---

**Acknowledgements** PrecisionAb™ is a trademark of Bio-Rad Laboratories

---

**Health And Safety Information** Material Safety Datasheet documentation #10040 #10561 available at:  
Antibody (10040): <https://www.bio-rad-antibodies.com/uploads/MSDS/10040.pdf>  
Lysate Material (10561): <https://www.bio-rad-antibodies.com/uploads/MSDS/10561.pdf>

---

**Regulatory** For research purposes only

---

## Related Products

### Recommended Secondary Antibodies

Goat Anti Rabbit IgG (H/L) (STAR208...) [HRP](#)

**North & South** Tel: +1 800 265 7376

**America** Fax: +1 919 878 3751

Email: [antibody\\_sales\\_us@bio-rad.com](mailto:antibody_sales_us@bio-rad.com)

**Worldwide**

Tel: +44 (0)1865 852 700

Fax: +44 (0)1865 852 739

Email: [antibody\\_sales\\_uk@bio-rad.com](mailto:antibody_sales_uk@bio-rad.com)

**Europe**

Tel: +49 (0) 89 8090 95 21

Fax: +49 (0) 89 8090 95 50

Email: [antibody\\_sales\\_de@bio-rad.com](mailto:antibody_sales_de@bio-rad.com)

From March 15, 2021, we will no longer supply printed datasheets with our products.  
Look out for updates on how to access your digital version at [bio-rad-antibodies.com](https://www.bio-rad-antibodies.com)

'M351386:190318'

**Printed on 10 Feb 2021**

---

© 2021 Bio-Rad Laboratories Inc | [Legal](#) | [Imprint](#)