

## Datasheet: VPA00692KT

<b>Description:</b>	RPS4X ANTIBODY WITH CONTROL LYSATE
<b>Specificity:</b>	RPS4X
<b>Format:</b>	Purified
<b>Product Type:</b>	PrecisionAb Polyclonal
<b>Isotype:</b>	Polyclonal IgG
<b>Quantity:</b>	2 Westerns

## Product Details

### Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit [www.bio-rad-antibodies.com/protocols](http://www.bio-rad-antibodies.com/protocols).

	Yes	No	Not Determined	Suggested Dilution
Western Blotting	▪			1/1000

**PrecisionAb antibodies have been extensively [validated for the western blot application](#).** The antibody has been validated at the suggested dilution. Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Further optimization may be required dependant on sample type.

### Target Species

Human

### Species Cross Reactivity

Reacts with: Rat

**N.B.** Antibody reactivity and working conditions may vary between species. Cross reactivity is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information.

### Product Form

Purified IgG - liquid

### Preparation

20µl Rabbit polyclonal antibody purified by affinity chromatography on Protein A

### Buffer Solution

Phosphate buffered saline

### Preservative Stabilisers

0.09% Sodium Azide

### Immunogen

KLH conjugated synthetic peptide encompassing part of human RPS4X (amino acids 209

---

**External Database****Links****UniProt:**[P62701](#)[Related reagents](#)**Entrez Gene:**[6191](#)

RPS4X

[Related reagents](#)

---

**Synonyms**

CCG2, RPS4, SCAR

---

**Specificity**

**Rabbit anti Human RPS4X antibody** recognizes the 40S ribosomal protein S4, X isoform, also known as cell cycle gene 2, SCAR, or single copy abundant mRNA protein.

Cytoplasmic ribosomes, organelles that catalyze protein synthesis, consist of a small 40S subunit and a large 60S subunit. Together these subunits are composed of 4 RNA species and approximately 80 structurally distinct proteins. RPS4X gene encodes ribosomal protein S4, a component of the 40S subunit. Ribosomal protein S4 is the only ribosomal protein known to be encoded by more than one gene, namely RPS4X and ribosomal protein S4, Y-linked (RPS4Y). The 2 isoforms encoded by these genes are not identical, but are functionally equivalent. Ribosomal protein S4 belongs to the S4E family of ribosomal proteins. RPS4X is not subject to X-inactivation. It has been suggested that haploinsufficiency of the ribosomal protein S4 genes plays a role in Turner syndrome; however, this hypothesis is controversial. As is typical for genes encoding ribosomal proteins, there are multiple processed pseudogenes of RPS4X dispersed through the genome (provided by RefSeq, Jul 2008).

Rabbit anti Human RPS4X antibody detects a band of 30 kDa. The antibody has been extensively validated for western blotting using whole cell lysates.

---

**Western Blotting**

Rabbit anti RPS4X detects a band of approximately 30 kDa in HEK293 cell lysates

---

**Instructions For Use**

Please refer to the [PrecisionAb western blotting protocol](#). For additional information on secondary antibody dilution and exposure time see product web page.

---

**Lysate Composition**

400µg HEK293 lysate lyophilized in RIPA buffer.

---

**Lysate Reconstitution**

- If using DDT reconstitute the lyophilized lysate with 190µl DI H<sub>2</sub>O, add 200µl 2x Laemmli Sample Buffer and 10µl 2M DTT.

- If using BME reconstitute the lyophilized lysate with 180µl DI H<sub>2</sub>O, add 200µl 2x Laemmli Sample Buffer and 20µl BME.

Heat at 95°C for 5 minutes. For 10 well mini gels load 25µl. For other gel and comb formats please refer to the PrecisionAb western blotting protocol.

---

**Storage**

Antibody: Store undiluted at -20°C, avoiding repeated freeze thaw cycles.

Lysate: Store lyophilized lysate at -20°C. After reconstitution aliquot and store at -20°C for up to 3 months or at -80°C for longer term storage.

---

**Guarantee** As supplied, 12 months from date of despatch

---

**Acknowledgements** PrecisionAb™ is a trademark of Bio-Rad Laboratories

---

**Health And Safety Information** Material Safety Datasheet documentation #10040 #10561 available at:  
Antibody (10040): <https://www.bio-rad-antibodies.com/uploads/MSDS/10040.pdf>  
Lysate Material (10561): <https://www.bio-rad-antibodies.com/uploads/MSDS/10561.pdf>

---

**Regulatory** For research purposes only

---

## Related Products

### Recommended Secondary Antibodies

Goat Anti Rabbit IgG (H/L) (STAR208...) [HRP](#)

**North & South** Tel: +1 800 265 7376

**America** Fax: +1 919 878 3751

Email: [antibody\\_sales\\_us@bio-rad.com](mailto:antibody_sales_us@bio-rad.com)

**Worldwide**

Tel: +44 (0)1865 852 700

Fax: +44 (0)1865 852 739

Email: [antibody\\_sales\\_uk@bio-rad.com](mailto:antibody_sales_uk@bio-rad.com)

**Europe**

Tel: +49 (0) 89 8090 95 21

Fax: +49 (0) 89 8090 95 50

Email: [antibody\\_sales\\_de@bio-rad.com](mailto:antibody_sales_de@bio-rad.com)

From March 15, 2021, we will no longer supply printed datasheets with our products.  
Look out for updates on how to access your digital version at [bio-rad-antibodies.com](https://www.bio-rad-antibodies.com)

'M351443:190318'

**Printed on 10 Feb 2021**

---

© 2021 Bio-Rad Laboratories Inc | [Legal](#) | [Imprint](#)