

Datasheet: VPA00696

Description:	RABBIT ANTI SCD5
Description.	INADDIT ANTI SCD3
Specificity:	SCD5
Format:	Purified
Product Type:	PrecisionAb Polyclonal
Isotype:	Polyclonal IgG
Quantity:	100 µl

Product Details

Applications	This product has been reported to work in the following applications. This informatic derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <u>www.bio-rad-antibodies.com/protocols</u> .						
		Yes	No	Not Determined	Suggested Dilution		
	Western Blotting	•			1/1000		
	criteria within Bio-Rac how we validate our P	I's ongoin recisionA hique this c	g antiboo b range . does not n	dy validation program Where this product hat necessarily exclude its	e defined performance ame. Click <u>here</u> to learn s not been tested for use in such procedures.		
Target Species	Human						
Species Cross Reactivity	Reacts with: Rat N.B. Antibody reactivity and working conditions may vary between species. Cross reactivity is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information.						
Product Form	Purified IgG - liquid						
Preparation	Rabbit polyclonal antibo	ody purified	d by affinit	y chromatography			
Buffer Solution	Phosphate buffered sali	ne					
Preservative Stabilisers	0.09% Sodium Azide 2% Sucrose						
Immunogen	Synthetic peptide encor	npassing p	part of the	C terminal region of h	uman SCD5		

External Database Links	UniProt: <u>Q86SK9</u> <u>Related reagents</u> Entrez Gene: <u>79966</u> SCD5 <u>Related reagents</u>				
Synonyms	ACOD4, SCD4				
Specificity	Rabbit anti Human SCD5 antibody recognizes stearoyl-CoA desaturase 5, also known as acyl-CoA-desaturase 4, SCD4 or stearoyl-CoA 9-desaturase.				
	Stearoyl-CoA desaturase (SCD; EC 1.14.99.5) is an integral membrane protein of the endoplasmic reticulum that catalyzes the formation of monounsaturated fatty acids from saturated fatty acids. SCD may be a key regulator of energy metabolism with a role in obesity and dislipidemia. Four SCD isoforms, Scd1 through Scd4, have been identified in mouse. In contrast, only 2 SCD isoforms, SCD1 (MIM 604031) and SCD5, have been identified in human. SCD1 shares about 85% amino acid identity with all 4 mouse SCD isoforms, as well as with rat Scd1 and Scd2. In contrast, SCD5 shares limited homology with the rodent SCDs and appears to be unique to primates (Wang <i>et al.</i> 2005). Rabbit anti Human SCD5 antibody detects a band of 50 kDa. The antibody has been extensively validated for western blotting using whole cell lysates.				
Western Blotting	Rabbit anti SCD5 detects a band of approximately 50 kDa in HEK293 cell lysates				
Storage	Store undiluted at -20°C, avoiding repeated freeze thaw cycles.				
Guarantee	12 months from date of despatch				
Acknowledgements	PrecisionAb is a trademark of Bio-Rad Laboratories				
Health And Safety Information	Material Safety Datasheet documentation #10045 available at: Antibody (10045): <u>https://www.bio-rad-antibodies.com/uploads/MSDS/10045.pdf</u>				
Regulatory	For research purposes only				

Related Products

Recommended Secondary Antibodies

Goat Anti Rabbit IgG (H/L) (STAR208...) HRP

North & South	Tel: +1 800 265 7376 Worldwide	Tel: +44 (0)1865 852 700	Europe	Tel: +49 (0) 89 8090 95 21
America	Fax: +1 919 878 3751	Fax: +44 (0)1865 852 739		Fax: +49 (0) 89 8090 95 50
	Email: antibody_sales_us@bio-rad.com	Email: antibody_sales_uk@bio-rad	d.com	Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets M370983:200529'

Printed on 21 Mar 2022

© 2022 Bio-Rad Laboratories Inc | Legal | Imprint