

Datasheet: VPA00699

Description:	RABBIT ANTI XIAP
Specificity:	XIAP
Format:	Purified
Product Type:	PrecisionAb Polyclonal
Isotype:	Polyclonal IgG
Quantity:	100 µl

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Western Blotting	▪			1/1000

The PrecisionAb label is reserved for antibodies that meet the defined performance criteria within Bio-Rad's ongoing antibody validation programme. Click [here](#) to learn how we validate our PrecisionAb range. Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Further optimization may be required dependent on sample type.

Target Species

Human

Species Cross Reactivity

Reacts with: Rat

N.B. Antibody reactivity and working conditions may vary between species. Cross reactivity is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information.

Product Form

Purified IgG - liquid.

Preparation

Rabbit polyclonal antibody purified by affinity chromatography.

Buffer Solution

TRIS buffered glycine.

Preservative Stabilisers

0.01% Thiomersal
<50% Glycerol

Approx. Protein Concentrations

IgG concentration 0.5 mg/ml.

Immunogen	Recombinant protein encompassing part of the C-terminal region of human XIAP
External Database Links	<p>UniProt: P98170 Related reagents</p> <p>Entrez Gene: 331 XIAP Related reagents</p>
Synonyms	API3, BIRC4, IAP3
Specificity	<p>Rabbit anti Human XIAP antibody recognizes the E3 ubiquitin-protein ligase XIAP, also known as XIAP, XLP2, BIRC5 or MIHA.</p> <p>The XIAP gene encodes a protein that belongs to a family of apoptotic suppressor proteins. Members of this family share a conserved motif termed, baculovirus IAP repeat, which is necessary for their anti-apoptotic function. This protein, BIRC5, functions through binding to tumor necrosis factor receptor-associated factors TRAF1 and TRAF2 and inhibits apoptosis induced by menadione, a potent inducer of free radicals, and interleukin 1-beta converting enzyme. MIHA also inhibits at least two members of the caspase family of cell-death proteases, caspase-3 and caspase-7. Mutations in XIAP are the cause of X-linked lymphoproliferative syndrome. Alternate splicing results in multiple transcript variants. Pseudogenes of XIAP are found on chromosomes 2 and 11 (provided by RefSeq, Feb 2011).</p> <p>Rabbit anti Human XIAP antibody detects a band of 53 kDa. The antibody has been extensively validated for western blotting using whole cell lysates.</p>
Western Blotting	Rabbit anti XIAP detects a band of approximately 53 kDa in MOLT-4 cell lysates.
Storage	Store undiluted at -20°C, avoiding repeated freeze thaw cycles.
Guarantee	12 months from date of despatch.
Acknowledgements	PrecisionAb is a trademark of Bio-Rad Laboratories.
Health And Safety Information	Material Safety Datasheet documentation #20357 available at: Antibody (20357): https://www.bio-rad-antibodies.com/uploads/MSDS/20357.pdf
Regulatory	For research purposes only.

Related Products

Recommended Secondary Antibodies

Goat Anti Rabbit IgG (H/L) (STAR208...) [HRP](#)

North & South America Tel: +1 800 265 7376
Fax: +1 919 878 3751

Email: antibody_sales_us@bio-rad.com

Worldwide

Tel: +44 (0)1865 852 700

Fax: +44 (0)1865 852 739

Email: antibody_sales_uk@bio-rad.com

Europe

Tel: +49 (0) 89 8090 95 21

Fax: +49 (0) 89 8090 95 50

Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets

'M403183:220721'

Printed on 21 Jul 2022

© 2022 Bio-Rad Laboratories Inc | [Legal](#) | [Imprint](#)