

Datasheet: VPA00706KT

Description:	PPP2CA ANTIBODY WITH CONTROL LYSATE
Specificity:	PPP2CA
Format:	Purified
Product Type:	PrecisionAb™ Polyclonal
Isotype:	Polyclonal IgG
Quantity:	2 Westerns

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Western Blotting	•			1/1000

PrecisionAb antibodies have been extensively <u>validated for the western blot application.</u> The antibody has been validated at the suggested dilution. Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Further optimization may be required dependant on sample type.

Target Species	Human	
Species Cross Reactivity	Reacts with: Mouse, Rat N.B. Antibody reactivity and working conditions may vary between species.	
Product Form	Purified IgG - liquid	
Preparation	20μl Rabbit polyclonal antibody purified by affinity chromatography	
Buffer Solution	Phosphate buffered saline	
Preservative Stabilisers	0.01% Thiomersal <50% Glycerol	
Immunogen	Carrier-protein conjugated synthetic peptide encompassing part of the C-terminal region of human PPP2CA	
External Database Links	UniProt: P67775 Related reagents	
	Entrez Gene: <u>5515</u> PPP2CA <u>Related reagents</u>	

Specificity

Rabbit anti Human PPP2CA antibody recognizes the serine/threonine-protein phosphatase 2A

catalytic subunit alpha isoform, also known as PP2C-alpha, protein phosphatase 2A catalytic subunit, alpha isoform, or replication protein C.

The PPP2CA gene encodes the phosphatase 2A catalytic subunit. Protein phosphatase 2A is one of the four major Ser/Thr phosphatases, and it is implicated in the negative control of cell growth and division. It consists of a common heteromeric core enzyme, which is composed of a catalytic subunit and a constant regulatory subunit, that associates with a variety of regulatory subunits. PPP2CA encodes an alpha isoform of the catalytic subunit (provided by RefSeq, Jul 2008).

Rabbit anti Human PPP2CA antibody detects a band of 36 kDa. The antibody has been extensively validated for western blotting using whole cell lysates.

Western Blotting	Rabbit anti PPP2CA detects a band of approximately 36 kDa in HEK293 cell lysates
Instructions For Use	Please refer to the <u>PrecisionAb western blotting protocol.</u> For additional information on secondary antibody dilution and exposure time see product web page.
Lysate Composition	400μg HEK293 lysate lyophilized in RIPA buffer.
Lysate Reconstitution	- If using DDT reconstitute the lyophilized lysate with 190 μ l DI H $_2$ O, add 200 μ l 2x Laemmli Sample Buffer and 10 μ l 2M DTT.
	- If using BME reconstitute the lyophilized lysate with 180 μ l DI H $_2$ O, add 200 μ l 2x Laemmli Sample Buffer and 20 μ l BME.
	Heat at 95°C for 5 minutes. For 10 well mini gels load 25µl. For other gel and comb formats please refer to the PrecisionAb western blotting protocol.
Storage	Antibody: Store undiluted at -20°C, avoiding repeated freeze thaw cycles.
	Lysate: Store lyophilized lysate at -20°C. After reconstitution aliquot and store at -20°C for up to 3 months or at -80°C for longer term storage.
Guarantee	As supplied, 12 months from date of despatch
Acknowledgements	PrecisionAb™ is a trademark of Bio-Rad Laboratories
Health And Safety Information	Material Safety Datasheet documentation #10097 #10561 available at: Antibody (10097): https://www.bio-rad-antibodies.com/uploads/MSDS/10097.pdf Lysate Material (10561): https://www.bio-rad-antibodies.com/uploads/MSDS/10561.pdf
Regulatory	For research purposes only

Related Products

Recommended Secondary Antibodies

Email: antibody_sales_us@bio-rad.com

Goat Anti Rabbit IgG (H/L) (STAR208...) HRP

North & South Tel: +1 800 265 7376
America Fax: +1 919 878 3751

Worldwide

Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Europe Te

Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50

Email: antibody_sales_uk@bio-rad.com

Email: antibody_sales_de@bio-rad.com

'M338080:181217'

Printed on 16 Mar 2019

© 2019 Bio-Rad Laboratories Inc | Legal | Imprint