

Datasheet: VPA00717KT

Description:	14-3-3 SIGMA ANTIBODY WITH CONTROL LYSATE		
Specificity:	14-3-3 SIGMA		
Format:	Purified		
Product Type:	PrecisionAb Polyclonal		
Isotype:	Polyclonal IgG		
Quantity:	2 Westerns		

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Western Blotting	•			1/1000

PrecisionAb antibodies have been extensively <u>validated for the western blot</u> <u>application.</u> The antibody has been validated at the suggested dilution. Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Further optimization may be required dependant on sample type.

Preservative Stabilisers	0.09% Sodium Azide
Stabilisers Immunogen	0.09% Sodium Azide KLH conjugated synthetic peptide of human 14-3-3 sigma (amino acids 222 - 248)
External Database	UniProt:

Related reagents

Entrez Gene:

P31947

2810 SFN Related reagents

Synonyms	HME1
Specificity	Rabbit anti Human 14-3-3 sigma antibody recognizes the protein 14-3-3 sigma, also known as epithelial cell marker protein 1 or stratifin.
	Hypermethylation of stratifin has been linked to early stages in breast cancer. Additionally, it has been shown to promote MMP-1 expression in fibroblasts.
	Rabbit anti Human 14-3-3 sigma antibody detects a band of 27 kDa. The antibody has been extensively validated for western blotting using whole cell lysates.
Western Blotting	Rabbit anti 14-3-3 sigma detects a band of approximately 27 kDa in A431 cell lysates
Instructions For Use	Please refer to the <u>PrecisionAb western blotting protocol.</u> For additional information on secondary antibody dilution and exposure time see product web page.
Lysate Composition	400μg A431 lysate lyophilized in RIPA buffer.
Lysate Reconstitution	- If using DDT reconstitute the lyophilized lysate with 190 μ l DI H $_2$ O, add 200 μ l 2x Laemmli Sample Buffer and 10 μ l 2M DTT.
	- If using BME reconstitute the lyophilized lysate with 180 μ l DI H $_2$ O, add 200 μ l 2x Laemmli Sample Buffer and 20 μ l BME.
	Heat at 95°C for 5 minutes. For 10 well mini gels load 25µl. For other gel and comb formats please refer to the PrecisionAb western blotting protocol.
Storage	Antibody: Store undiluted at -20°C, avoiding repeated freeze thaw cycles.
	Lysate: Store lyophilized lysate at -20°C. After reconstitution aliquot and store at -20°C for up to 3 months or at -80°C for longer term storage.
Guarantee	As supplied, 12 months from date of despatch
Acknowledgements	PrecisionAb™ is a trademark of Bio-Rad Laboratories
Health And Safety Information	Material Safety Datasheet documentation #10040 #10561 available at: Antibody (10040): https://www.bio-rad-antibodies.com/uploads/MSDS/10040.pdf Lysate Material (10561): https://www.bio-rad-antibodies.com/uploads/MSDS/10561.pdf
Regulatory	For research purposes only

Related Products

Recommended Secondary Antibodies

Goat Anti Rabbit IgG (H/L) (STAR208...) HRP

From March 15, 2021, we will no longer supply printed datasheets with our products.

 North & South
 Tel: +1 800 265 7376
 Worldwide
 Tel: +44 (0)1865 852 700
 Europe
 Tel: +49 (0) 89 8090 95 21
 Look

 America
 Fax: +1 919 878 3751
 Fax: +44 (0)1865 852 739
 Fax: +49 (0) 89 8090 95 50
 out

 Email: antibody_sales_us@bio-rad.com
 Email: antibody_sales_de@bio-rad.com
 Email: antibody_sales_de@bio-rad.com

updates on how to access your digital version at bio-rad-antibodies.com 'M350862:190315'

Printed on 10 Feb 2021

© 2021 Bio-Rad Laboratories Inc | Legal | Imprint