

## Datasheet: VPA00721KT

Description:	p27/Kip1 ANTIBODY WITH CONTROL LYSATE
Specificity:	p27/Kip1
Format:	Purified
Product Type:	PrecisionAb™ Polyclonal
Isotype:	Polyclonal IgG
Quantity:	2 Westerns

# **Product Details**

#### **Applications**

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <a href="https://www.bio-rad-antibodies.com/protocols">www.bio-rad-antibodies.com/protocols</a>.

	Yes	No	Not Determined	Suggested Dilution
Western Blotting	•			1/1000

**PrecisionAb antibodies have been extensively <u>validated for the western blot application.</u> The antibody has been validated at the suggested dilution. Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Further optimization may be required dependant on sample type.** 

Target Species	Human		
Species Cross Reactivity	Reacts with: Mouse, Rat  N.B. Antibody reactivity and working conditions may vary between species.		
Product Form	Purified IgG - liquid		
Preparation	20μl Rabbit polyclonal antibody purified by affinity chromatography		
Buffer Solution	TRIS buffered glycine		
Preservative Stabilisers	0.01% Thiomersal <50% Glycerol		
Immunogen	Recombinant protein encompassing part of the center region of human p27/kip1		
External Database Links	UniProt:  P46527 Related reagents  Entrez Gene:  1027 CDKN1B Related reagents		
Synonyms	KIP1		

Specificity	<b>Rabbit anti Human p27/kip1 antibody</b> recognizes the cyclin-dependent kinase inhibitor 1, also known as CDK-interacting protein 1, KIP1, BWS, P27KIP1 or wild-type p53-activated fragment 1.
	The CDKN1A gene encodes a potent cyclin-dependent kinase inhibitor. The encoded protein binds to and inhibits the activity of cyclin-CDK2 or -CDK4 complexes, and thus functions as a regulator of cell cycle progression at G1. The expression of CDKN1A is tightly controlled by the tumor suppressor protein p53, through which this protein mediates the p53-dependent cell cycle G1 phase arrest in response to a variety of stress stimuli. This protein can interact with proliferating cell nuclear antigen (PCNA), a DNA polymerase accessory factor, and plays a regulatory role in S phase DNA replication and DNA damage repair. This protein was reported to be specifically cleaved by CASP3-like caspases, which thus leads to a dramatic activation of CDK2, and may be instrumental in the execution of apoptosis following caspase activation. Multiple alternatively spliced variants have been found for CDKN1A (provided by RefSeq, Nov 2010).
	Rabbit anti Human p27/kip1 antibody detects a band of 27 kDa. The antibody has been extensively validated for western blotting using whole cell lysates.
Western Blotting	Rabbit anti p27/kip1 detects a band of approximately 27 kDa in NIH/3T3 cell lysates
Instructions For Use	Please refer to the <u>PrecisionAb western blotting protocol</u> . For additional information on secondary antibody dilution and exposure time see product web page.
Lysate Composition	400μg NIH/3T3 lysate lyophilized in RIPA buffer.
Lysate Reconstitution	- If using DDT reconstitute the lyophilized lysate with 190 $\mu$ l DI H $_2$ O, add 200 $\mu$ l 2x Laemmli Sample Buffer and 10 $\mu$ l 2M DTT.
	- If using BME reconstitute the lyophilized lysate with 180 $\mu$ l DI H $_2$ O, add 200 $\mu$ l 2x Laemmli Sample Buffer and 20 $\mu$ l BME.
	Heat at 95°C for 5 minutes. For 10 well mini gels load 25µl. For other gel and comb formats please refer to the PrecisionAb western blotting protocol.
Storage	Antibody: Store undiluted at -20°C, avoiding repeated freeze thaw cycles.
	Lysate: Store lyophilized lysate at -20°C. After reconstitution aliquot and store at -20°C for up to 3 months or at -80°C for longer term storage.
Guarantee	As supplied, 12 months from date of despatch

# Regulatory

Related Products

Acknowledgements

**Health And Safety** 

Information

### **Recommended Secondary Antibodies**

Goat Anti Rabbit IgG (H/L) (STAR208...) HRP

'M337862:181217'

Material Safety Datasheet documentation #20357 #10561 available at:

Antibody (20357): https://www.bio-rad-antibodies.com/uploads/MSDS/20357.pdf
Lysate Material (10561): https://www.bio-rad-antibodies.com/uploads/MSDS/10561.pdf

PrecisionAb™ is a trademark of Bio-Rad Laboratories

For research purposes only

North & South Tel: +1 800 265 7376 America Fax: +1 919 878 3751 Worldwide

Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739

Europe

Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50

Email: antibody\_sales\_de@bio-rad.com

Printed on 16 Mar 2019

© 2019 Bio-Rad Laboratories Inc | Legal | Imprint