

Datasheet: VPA00741KT

| Description:  | CHI3L1 ANTIBODY WITH CONTROL LYSATE |
|---------------|-------------------------------------|
| Specificity:  | CHI3L1                              |
| Format:       | Purified                            |
| Product Type: | PrecisionAb™ Polyclonal             |
| Isotype:      | Polyclonal IgG                      |
| Quantity:     | 2 Westerns                          |

## **Product Details**

## **Applications**

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

|                  | Yes | No | Not Determined | Suggested Dilution |
|------------------|-----|----|----------------|--------------------|
| Western Blotting | •   |    |                | 1/1000             |

**PrecisionAb antibodies have been extensively <u>validated for the western blot application.</u> The antibody has been validated at the suggested dilution. Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Further optimization may be required dependant on sample type.** 

| Target Species              | Human   |  |  |
|-----------------------------|---|--|--|
| Species Cross<br>Reactivity | Reacts with: Mouse  N.B. Antibody reactivity and working conditions may vary between species. |  |  |
| Product Form                | Purified IgG - liquid   |  |  |
| Preparation                 | 20μl Rabbit polyclonal antibody purified by affinity chromatography on immunogen              |  |  |
| Buffer Solution             | Phosphate buffered saline   |  |  |
| Preservative<br>Stabilisers | 0.09% Sodium Azide (NaN <sub>3</sub> )<br>2% Sucrose  |  |  |
| Immunogen                   | Synthetic peptide directed towards the middle region of human CHI3L1                          |  |  |
| External Database<br>Links  | UniProt:  P36222 Related reagents  Entrez Gene:  1116 CHI3L1 Related reagents                 |  |  |

**Specificity** 

**Rabbit anti Human CHI3L1 antibody** recognizes chitinase-3-like protein 1, also known as 39 kDa synovial protein or cartilage glycoprotein 39.

Chitinases catalyze the hydrolysis of chitin, which is an abundant glycopolymer found in insect exoskeletons and fungal cell walls. The glycoside hydrolase 18 family of chitinases includes eight human family members. CHI3L1 encodes a glycoprotein member of the glycosyl hydrolase 18 family. The protein lacks chitinase activity and is secreted by activated macrophages, chondrocytes, neutrophils and synovial cells. The protein is thought to play a role in the process of inflammation and tissue remodeling (provided by RefSeq, Sep 2009).

Rabbit anti Human CHI3L1 antibody detects a band of 43 kDa. The antibody has been extensively validated for western blotting using whole cell lysates.

| Western Blotting                 | Anti CHI3L1 antibody recognizes a band of approximately 43 kDa in NIH/3T3 cell lysates   |
|----------------------------------|--|
| Instructions For Use             | Please refer to the <u>PrecisionAb western blotting protocol.</u> For additional information on secondary antibody dilution and exposure time see product web page.  |
| Lysate Composition               | 400μg NIH/3T3 lysate lyophilized in RIPA buffer  |
| Lysate Reconstitution            | - If using DDT reconstitute the lyophilized lysate with 190 $\mu$ l DI H <sub>2</sub> O, add 200 $\mu$ l 2x Laemmli Sample Buffer and 10 $\mu$ l 2M DTT.   |
|                                  | - If using BME reconstitute the lyophilized lysate with 180 $\mu$ l DI H $_2$ O, add 200 $\mu$ l 2x Laemmli Sample Buffer and 20 $\mu$ l BME.  |
|                                  | Heat at 95°C for 5 minutes. For 10 well mini gels load 25µl. For other gel and comb formats please refer to the PrecisionAb western blotting protocol.   |
| Storage                          | Antibody: Store undiluted at -20°C, avoiding repeated freeze thaw cycles.  |
|                                  | Lysate: Store lyophilized lysate at -20°C. After reconstitution aliquot and store at -20°C for up to 3 months or at -80°C for longer term storage.   |
| Shelf Life                       | As supplied, 12 months from date of despatch.  |
| Acknowledgements                 | PrecisionAb™ is a trademark of Bio-Rad Laboratories.   |
| Health And Safety<br>Information | Material Safety Datasheet documentation #10045 #10561 available at: Antibody (10045): <a href="https://www.bio-rad-antibodies.com/uploads/MSDS/10045.pdf">https://www.bio-rad-antibodies.com/uploads/MSDS/10045.pdf</a> Lysate Material (10561): <a href="https://www.bio-rad-antibodies.com/uploads/MSDS/10561.pdf">https://www.bio-rad-antibodies.com/uploads/MSDS/10561.pdf</a> |
| Regulatory                       | For research purposes only   |

## **Related Products**

## **Recommended Secondary Antibodies**

Email: antibody\_sales\_us@bio-rad.com

Goat Anti Rabbit IgG (H/L) (STAR208...) HRP

North & South Tel: +1 800 265 7376

America

Fax: +1 919 878 3751

Worldwide

Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Europe

Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50

Email: antibode

 ${\bf Email: antibody\_sales\_uk@bio-rad.com}$ 

Email: antibody\_sales\_de@bio-rad.com

'M336580:181214'

Printed on 02 Jan 2019