

# Datasheet: VPA00749

Description:	RABBIT ANTI CDK4
Specificity:	CDK4
Format:	Purified
Product Type:	PrecisionAb Polyclonal
Isotype:	Polyclonal IgG
Quantity:	100 µl

## **Product Details**

Applications	This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <u>www.bio-rad-antibodies.com/protocols</u> .							
	Western Blotting	Yes	No	Not Determined	Suggested Dilution 1/1000			
		label is reserve	d for ant	ibodies that meet the	e defined performance			
	<b>how we validate</b> use in a particular	our PrecisionAl technique this d	<b>b range.</b> oes not n	Where this product has	me. Click <u>here</u> to learn s not been tested for use in such procedures.			
Target Species	Human							
Product Form	Purified IgG - liqui	d						
Preparation	Rabbit polyclonal antibody purified by affinity chromatography on immunogen.							
Buffer Solution	Phosphate buffere	d saline.						
Preservative Stabilisers	0.09% Sodium Azide (NaN <sub>3</sub> ) 2% Sucrose							
Approx. Protein Concentrations	IgG concentration 0.5 mg/ml.							
Immunogen	Synthetic peptide	encompassing th	ne center	region of human CDK	4			
External Database Links	UniProt: <u>P11802</u> Re	lated reagents						

**Entrez Gene:** 

1019 CDK4 Related reagents

Specificity Rabbit anti Human CDK4 antibody recognizes cyclin-dependent kinase 4, also known as cell division protein kinase 4.

The protein encoded by CDK4 is a member of the Ser/Thr protein kinase family. This protein is highly similar to the gene products of *S. cerevisiae* cdc28 and *S. pombe* cdc2. It is a catalytic subunit of the protein kinase complex that is important for cell cycle G1 phase progression. The activity of this kinase is restricted to the G1-S phase, which is controlled by the regulatory subunits D-type cyclins and CDK inhibitor p16(INK4a). This kinase was shown to be responsible for the phosphorylation of retinoblastoma gene product (Rb). Mutations in CDK4 as well as in its related proteins including D-type cyclins, p16(INK4a) and Rb were all found to be associated with tumorigenesis of a variety of cancers. Multiple polyadenylation sites of CDK4 have been reported (provided by RefSeq, Jul 2008).

Rabbit anti Human CDK4 antibody detects a band of 30 kDa. The antibody has been extensively validated for western blotting using whole cell lysates.

Western Blotting	Anti CDK4 antibody recognizes a band of approximately 30 kDa in HEK293 cell lysates.
Storage	Store undiluted at -20°C, avoiding repeated freeze thaw cycles.
Guarantee	12 months from date of despatch.
Acknowledgements	PrecisionAb is a trademark of Bio-Rad Laboratories.
Health And Safety Information	Material Safety Datasheet documentation #10045 available at: https://www.bio-rad-antibodies.com/SDS/VPA00749 Antibody (10045)
Regulatory	For research purposes only.

## **Related Products**

### **Recommended Secondary Antibodies**

Goat Anti Rabbit IgG (H/L) (STAR208...) HRP

North & South	Tel: +1 800 265 7376 Wo	orldwide	Tel: +44 (0)1865 852 700	Europe	Tel: +49 (0) 89 8090 95 21
America	Fax: +1 919 878 3751		Fax: +44 (0)1865 852 739		Fax: +49 (0) 89 8090 95 50
	Email: antibody_sales_us@bio-rad.com	m	Email: antibody_sales_uk@bio-rad	d.com	Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M416415:230301'

#### Printed on 13 Aug 2023

© 2023 Bio-Rad Laboratories Inc | Legal | Imprint