

Datasheet: VPA00762KT

Description:	CDC2 ANTIBODY WITH CONTROL LYSATE
Specificity:	CDC2
Format:	Purified
Product Type:	PrecisionAb™ Polyclonal
lsotype:	Polyclonal IgG
Quantity:	2 Westerns

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Western Blotting				1/1000

PrecisionAb antibodies have been extensively <u>validated for the western blot application</u>. The antibody has been validated at the suggested dilution. Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Further optimization may be required dependant on sample type.

Target Species	Human				
Product Form	Purified IgG - liquid				
Preparation	20µl Rabbit polyclonal antibody purified by affinity chromatography on immunogen				
Buffer Solution	Phosphate buffered saline				
Preservative Stabilisers	0.09% Sodium Azide (NaN ₃) 2% Sucrose				
Immunogen	Synthetic peptide corresponding to a portion of the C terminal region of human CDC2				
External Database Links	UniProt: <u>P06493</u> <u>Related reagents</u> Entrez Gene: <u>983</u> CDK1 <u>Related reagents</u>				
Synonyms	CDC2				
Specificity	Rabbit anti Human CDC2 antibody recognizes CDC2, also known as CDK1, CDC28A, P34CDC2, p34 protein kinase or cyclin-dependent kinase 1.				

	The protein encoded by this gene is a member of the Ser/Thr protein kinase family. This protein is a catalytic subunit of the highly conserved protein kinase complex known as M-phase promoting factor (MPF), which is essential for G1/S and G2/M phase transitions of eukaryotic cell cycle. Mitotic cyclins stably associate with this protein and function as regulatory subunits. The kinase activity of this protein is controlled by cyclin accumulation and destruction through the cell cycle. The phosphorylation and dephosphorylation of this protein also play important regulatory roles in cell cycle control. Alternatively spliced transcript variants encoding different isoforms have been found for this gene (provided by RefSeq, Mar 2009).						
	Rabbit anti Human CDC2 antibody detects a band of 34 kDa. The antibody has been extensively validated for western blotting using whole cell lysates.						
Western Blotting	Anti CDC2 antibody recognizes a band of approximately 34 kDa in Jurkat cell lysates						
Instructions For Use	Please refer to the <u>PrecisionAb western blotting protocol.</u> For additional information on secondary antibody dilution and exposure time see product web page.						
Lysate Composition	400µg Jurkat lysate lyophilized in RIPA buffer						
Lysate Reconstitution	 If using DDT reconstitute the lyophilized lysate with 190µl DI H₂O, add 200µl 2x Laemmli Sample Buffer and 10µl 2M DTT. If using BME reconstitute the lyophilized lysate with 180µl DI H₂O, add 200µl 2x Laemmli Sample 						
	Buffer and 20µl BME. Heat at 95°C for 5 minutes. For 10 well mini gels load 25µl. For other gel and comb formats please refer to the PrecisionAb western blotting protocol.						
Storage	Antibody: Store undiluted at -20°C, avoiding repeated freeze thaw cycles.						
	Lysate: Store lyophilized lysate at -20°C. After reconstitution aliquot and store at -20°C for up to 3 months or at -80°C for longer term storage.						
Shelf Life	As supplied, 12 months from date of despatch.						
Acknowledgements	PrecisionAb™ is a trademark of Bio-Rad Laboratories.						
Health And Safety Information	Material Safety Datasheet documentation #10045 #10561 available at: Antibody (10045): <u>https://www.bio-rad-antibodies.com/uploads/MSDS/10045.pdf</u> Lysate Material (10561): <u>https://www.bio-rad-antibodies.com/uploads/MSDS/10561.pdf</u>						
Regulatory	For research purposes only						

Related Products

Recommended Secondary Antibodies

Goat Anti Rabbit IgG (H/L) (STAR208...) HRP

North & South	Tel: +1 800 265 7376	Worldwide	Tel: +44 (0)1865 852 700	Europe	Tel: +49 (0) 89 8090 95 21
America	Fax: +1 919 878 3751		Fax: +44 (0)1865 852 739		Fax: +49 (0) 89 8090 95 50
	Email: antibody_sales_us@bio-ra	d.com	Email: antibody_sales_uk@bio-ra	ad.com	Email: antibody_sales_de@bio-rad.com

'M336518:181214'

Printed on 02 Jan 2019

© 2019 Bio-Rad Laboratories Inc | Legal | Imprint