

Datasheet: VPA00802KT

Description:	SUPEROXIDE DISMUTASE (Mn) ANTIBODY WITH CONTROL LYSATE
Specificity:	SUPEROXIDE DISMUTASE (Mn)
Format:	Purified
Product Type:	PrecisionAb™ Polyclonal
Isotype:	Polyclonal IgG
Quantity:	2 Westerns

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Western Blotting	•			1/1000

PrecisionAb antibodies have been extensively <u>validated for the western blot application.</u> The antibody has been validated at the suggested dilution. Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Further optimization may be required dependant on sample type.

Target Species	Human		
Species Cross Reactivity	Reacts with: Mouse N.B. Antibody reactivity and working conditions may vary between species.		
Product Form	Purified IgG - liquid		
Preparation	20μl Rabbit polyclonal antibody purified by affinity chromatography on immunogen		
Buffer Solution	Phosphate buffered saline		
Preservative Stabilisers	0.09% Sodium Azide (NaN ₃) 2% Sucrose		
Immunogen	Synthetic peptide directed towards the N terminal region of human superoxide dismutase (Mn)		
External Database Links	UniProt: P04179 Related reagents		
	Entrez Gene: 6648 SOD2 Related reagents		

Specificity

Rabbit anti Human superoxide dismutase (Mn) recognizes superoxide dismutase (Mn), also known as superoxide dismutase 2, SOD2, Mn superoxide dismutase, indophenoloxidase B,

manganese-containing superoxide dismutase or mangano-superoxide dismutase.

This gene is a member of the iron/manganese superoxide dismutase family. It encodes a mitochondrial protein that forms a homotetramer and binds one manganese ion per subunit. This protein binds to the superoxide byproducts of oxidative phosphorylation and converts them to hydrogen peroxide and diatomic oxygen. Mutations in this gene have been associated with idiopathic cardiomyopathy (IDC), premature aging, sporadic motor neuron disease, and cancer. Alternative splicing of this gene results in multiple transcript variants. A related pseudogene has been identified on chromosome 1 (provided by RefSeq, Apr 2016).

Rabbit anti Human superoxide dismutase (Mn) detects a band at 22 kDa. The antibody has been extensively validated for western blotting using whole cell lysates.

Western Blotting

Anti superoxide dismutase (Mn) antibody recognizes a band of approximately 22 kDa in HepG2 cell lysates

Instructions For Use

Please refer to the PrecisionAb western blotting protocol. For additional information on secondary antibody dilution and exposure time see product web page.

Lysate Composition

400µg HepG2 lysate lyophilized in RIPA buffer

- Lysate Reconstitution If using DDT reconstitute the lyophilized lysate with 190µl DI H₂O, add 200µl 2x Laemmli Sample Buffer and 10µl 2M DTT.
 - If using BME reconstitute the lyophilized lysate with 180µl DI H₂O, add 200µl 2x Laemmli Sample Buffer and 20µl BME.

Heat at 95°C for 5 minutes. For 10 well mini gels load 25µl. For other gel and comb formats please refer to the PrecisionAb western blotting protocol.

Storage

Antibody: Store undiluted at -20°C, avoiding repeated freeze thaw cycles.

Lysate: Store lyophilized lysate at -20°C. After reconstitution aliquot and store at -20°C for up to 3 months or at -80°C for longer term storage.

Guarantee

As supplied, 12 months from date of despatch

Acknowledgements

PrecisionAb™ is a trademark of Bio-Rad Laboratories.

Health And Safety Information

Material Safety Datasheet documentation #10045 #10561 available at:

Antibody (10045): https://www.bio-rad-antibodies.com/uploads/MSDS/10045.pdf Lysate Material (10561): https://www.bio-rad-antibodies.com/uploads/MSDS/10561.pdf

Regulatory

For research purposes only

Related Products

Recommended Secondary Antibodies

Goat Anti Rabbit IgG (H/L) (STAR208...) HRP

America

North & South Tel: +1 800 265 7376 Fax: +1 919 878 3751 Worldwide

Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Europe

Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50

Email: antibody sales us@bio-rad.com

Email: antibody_sales_uk@bio-rad.com

Email: antibody_sales_de@bio-rad.com

'M348022·190214'

Printed on 16 Mar 2019

© 2019 Bio-Rad Laboratories Inc | <u>Legal</u> | <u>Imprint</u>