

Datasheet: VPA00832KT

Description:	CXADR ANTIBODY WITH CONTROL LYSATE		
Specificity:	CXADR		
Format:	Purified		
Product Type:	PrecisionAb™ Polyclonal		
Isotype:	Polyclonal IgG		
Quantity:	2 Westerns		

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Western Blotting	•			1/1000

PrecisionAb antibodies have been extensively <u>validated for the western blot application.</u> The antibody has been validated at the suggested dilution. Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Further optimization may be required dependant on sample type.

Target Species	Human		
Product Form	Purified IgG - liquid		
Preparation	20µl Rabbit polyclonal antibody purified by affinity chromatography on immunogen		
Buffer Solution	Phosphate buffered saline		
Preservative Stabilisers	0.09% Sodium Azide <50% Glycerol		
Immunogen	Recombinant protein of human CXADR		
External Database Links	UniProt: P78310 Related reagents Entrez Gene: 1525 CXADR Related reagents		
Synonyms	CAR		

SpecificityRabbit anti Human CXADR antibody recognizes the coxsackievirus and adenovirus receptor, also known as 46 kD coxsackievirus and adenovirus receptor (CAR) protein, HCAR, CVB3-binding protein, HCVADR and coxsackievirus B-adenovirus receptor.

The protein encoded by CXADR is a type I membrane receptor for group B coxsackieviruses and subgroup C adenoviruses. Several transcript variants encoding different isoforms have been found for CXADR. Pseudogenes of CXADR are found on chromosomes 15, 18, and 21 (provided by RefSeq, May 2011).

Rabbit anti Human CXADR antibody detects bands of 45-55 kDa. The antibody has been extensively validated for western blotting using whole cell lysates.

Western Blotting	Anti CXADR antibody recognizes a band of approximately 45-55 kDa in HeLa cell lysates
Instructions For Use	Please refer to the <u>PrecisionAb western blotting protocol.</u> For additional information on secondary antibody dilution and exposure time see product web page.
Lysate Composition	400μg HeLa lysate lyophilized in RIPA buffer
Lysate Reconstitution	- If using DDT reconstitute the lyophilized lysate with 190 μ l DI H ₂ O, add 200 μ l 2x Laemmli Sample Buffer and 10 μ l 2M DTT If using BME reconstitute the lyophilized lysate with 180 μ l DI H ₂ O, add 200 μ l 2x Laemmli Sample Buffer and 20 μ l BME.
	Heat at 95°C for 5 minutes. For 10 well mini gels load 25µl. For other gel and comb formats please refer to the PrecisionAb western blotting protocol.
Storage	Antibody: Store undiluted at -20°C, avoiding repeated freeze thaw cycles.
	Lysate: Store lyophilized lysate at -20°C. After reconstitution aliquot and store at -20°C for up to 3 months or at -80°C for longer term storage.
Guarantee	As supplied, 12 months from date of despatch.
Acknowledgements	PrecisionAb™ is a trademark of Bio-Rad Laboratories.
Health And Safety Information	Material Safety Datasheet documentation #20359 #10561 available at: Antibody (20359): https://www.bio-rad-antibodies.com/uploads/MSDS/20359.pdf Lysate Material (10561): https://www.bio-rad-antibodies.com/uploads/MSDS/10561.pdf

Related Products

Regulatory

Recommended Secondary Antibodies

Email: antibody_sales_us@bio-rad.com

Goat Anti Rabbit IgG (H/L) (STAR208...) HRP

North & South Tel: +1 800 265 7376

America Fax: +1 919 878 3751

Worldwide

For research purposes only

Tel: +44 (0)1865 852 700 **Europe**

Fax: +44 (0)1865 852 739

Email: antibody_sales_uk@bio-rad.com

Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50

Email: antibody_sales_de@bio-rad.com

'M348047:190214'

Printed on 16 Mar 2019