

Datasheet: VPA00854KT

Description:	COLLAGEN VII ANTIBODY WITH CONTROL LYSATE
Specificity:	COLLAGEN VII
Format:	Purified
Product Type:	PrecisionAb™ Polyclonal
Isotype:	Polyclonal IgG
Quantity:	2 Westerns

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Western Blotting	▪			1/1000

PrecisionAb antibodies have been extensively [validated for the western blot application](#). The antibody has been validated at the suggested dilution. Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Further optimization may be required dependant on sample type.

Target Species	Human
Product Form	Purified IgG - liquid
Preparation	20µl Rabbit polyclonal antibody purified by affinity chromatography on immunogen
Buffer Solution	Phosphate buffered saline
Preservative	0.09% Sodium Azide
Stabilisers	<50% Glycerol
Immunogen	Recombinant protein of human collagen VII

External Database Links

UniProt:
[Q02388](#) [Related reagents](#)

Entrez Gene:
[1294](#) COL7A1 [Related reagents](#)

Specificity

Rabbit anti Human collagen VII antibody recognizes collagen VII, also known as LC collagen, collagen alpha-1(VII) chain, COL7A1 and long-chain collagen.

COL7A1 encodes the alpha chain of type VII collagen. The type VII collagen fibril, composed of three identical alpha collagen chains, is restricted to the basement zone beneath stratified

squamous epithelia. It functions as an anchoring fibril between the external epithelia and the underlying stroma. Mutations in COL7A1 are associated with all forms of dystrophic epidermolysis bullosa. In the absence of mutations, however, an acquired form of this disease can result from an autoimmune response made to type VII collagen (provided by RefSeq, Jul 2008).

Rabbit anti Human collagen VII chain antibody detects a band of 295 kDa. The antibody has been extensively validated for western blotting using whole cell lysates.

Western Blotting	Anti collagen VII antibody recognizes a band of approximately 295 kDa in A431 cell lysates
-------------------------	--------------------------------------------------------------------------------------------

Instructions For Use	Please refer to the PrecisionAb western blotting protocol . For additional information on secondary antibody dilution and exposure time see product web page.
-----------------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Lysate Composition	400µg A431 lysate lyophilized in RIPA buffer
---------------------------	----------------------------------------------

Lysate Reconstitution	<p>- If using DDT reconstitute the lyophilized lysate with 190µl DI H₂O, add 200µl 2x Laemmli Sample Buffer and 10µl 2M DTT.</p> <p>- If using BME reconstitute the lyophilized lysate with 180µl DI H₂O, add 200µl 2x Laemmli Sample Buffer and 20µl BME.</p> <p>Heat at 95°C for 5 minutes. For 10 well mini gels load 25µl. For other gel and comb formats please refer to the PrecisionAb western blotting protocol.</p>
------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Storage	<p>Antibody: Store undiluted at -20°C, avoiding repeated freeze thaw cycles.</p> <p>Lysate: Store lyophilized lysate at -20°C. After reconstitution aliquot and store at -20°C for up to 3 months or at -80°C for longer term storage.</p>
----------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Guarantee	As supplied, 12 months from date of despatch.
------------------	-----------------------------------------------

Acknowledgements	PrecisionAb™ is a trademark of Bio-Rad Laboratories.
-------------------------	------------------------------------------------------

Health And Safety Information	<p>Material Safety Datasheet documentation #20359 #10561 available at: Antibody (20359): https://www.bio-rad-antibodies.com/uploads/MSDS/20359.pdf Lysate Material (10561): https://www.bio-rad-antibodies.com/uploads/MSDS/10561.pdf</p>
--------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Regulatory	For research purposes only
-------------------	----------------------------

Related Products

Recommended Secondary Antibodies

Goat Anti Rabbit IgG (H/L) (STAR208...) [HRP](#)

North & South Tel: +1 800 265 7376

America Fax: +1 919 878 3751

Email: antibody_sales_us@bio-rad.com

Worldwide

Tel: +44 (0)1865 852 700

Fax: +44 (0)1865 852 739

Email: antibody_sales_uk@bio-rad.com

Europe

Tel: +49 (0) 89 8090 95 21

Fax: +49 (0) 89 8090 95 50

Email: antibody_sales_de@bio-rad.com

'M348077:190214'

Printed on 16 Mar 2019