

Datasheet: VPA00877KT

| Description: | FRATAXIN ANTIBODY WITH CONTROL LYSATE | | |
|---------------|---------------------------------------|--|--|
| Specificity: | FRATAXIN | | |
| Format: | Purified | | |
| Product Type: | PrecisionAb™ Polyclonal | | |
| Isotype: | Polyclonal IgG | | |
| Quantity: | 2 Westerns | | |

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

| | Yes | No | Not Determined | Suggested Dilution |
|------------------|-----|----|----------------|--------------------|
| Western Blotting | | | | 1/1000 |

PrecisionAb antibodies have been extensively <u>validated for the western blot application.</u> The antibody has been validated at the suggested dilution. Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Further optimization may be required dependant on sample type.

| Target Species | Human | | |
|-----------------------------|-----------------------------------------------------------------------------------------------|--|--|
| Species Cross Reactivity | Reacts with: Mouse N.B. Antibody reactivity and working conditions may vary between species. | | |
| Product Form | Purified IgG - liquid | | |
| Preparation | 20µl Rabbit polyclonal antibody purified by affinity chromatography on immunogen | | |
| Buffer Solution | Phosphate buffered saline | | |
| Preservative Stabilisers | 0.09% Sodium Azide 2% Sucrose | | |
| Immunogen | Synthetic peptide corresponding to a portion of the C terminal segment of human frataxin | | |
| External Database Links | UniProt: Q16595 Related reagents Entrez Gene: 2395 FXN Related reagents | | |
| Synonyms | FRDA, X25 | | |

| Specificity | Rabbit anti Human frataxin antibody recognizes frataxin, also known as Friedreich ataxia protein, FRDA and FXN. | | | |
|----------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------|--|--|
| | This nuclear gene encodes a mitochondrial protein thatfunctions in regulating mitochondrial iron transport and respiration. The expansion of intronic trinucleotide repeat GAA results in the autosomal recessive inherited disease Friedreich ataxia. Alternative splicing results in multiple transcript variants (provided by RefSeq, Jun 2009). | | | |
| | Rabbit anti Human frataxin antibody detects a band of 24 kDa. The arvalidated for western blotting using whole cell lysates. | ntibody has been extensively | | |
| Western Blotting | Anti frataxin antibody recognizes a band of approximately 24 kDa in R | Raji cell lysates | | |
| Instructions For Use | Please refer to the <u>PrecisionAb western blotting protocol.</u> For additionantibody dilution and exposure time see product web page. | al information on secondary | | |
| Lysate Composition | 400μg Raji lysate lyophilized in RIPA buffer | | | |
| Lysate Reconstitution | - If using DDT reconstitute the lyophilized lysate with 190 μ l DI H ₂ O, as Buffer and 10 μ l 2M DTT. | dd 200µl 2x Laemmli Sample | | |
| | - If using BME reconstitute the lyophilized lysate with 180 μ l DI H $_2$ O, as Buffer and 20 μ l BME. | dd 200µl 2x Laemmli Sample | | |
| | Heat at 95°C for 5 minutes. For 10 well mini gels load 25µl. For other refer to the PrecisionAb western blotting protocol. | gel and comb formats please | | |
| Storage | Antibody: Store undiluted at -20°C, avoiding repeated freeze thaw cyc | les. | | |
| | Lysate: Store lyophilized lysate at -20°C. After reconstitution aliquot at months or at -80°C for longer term storage. | nd store at -20°C for up to 3 | | |
| Guarantee | As supplied, 12 months from date of despatch | | | |
| Acknowledgements | PrecisionAb™ is a trademark of Bio-Rad Laboratories. | | | |
| Health And Safety Information | Material Safety Datasheet documentation #10045 #10561 available at Antibody (10045): https://www.bio-rad-antibodies.com/uploads/MSDS/7 Lysate Material (10561): https://www.bio-rad-antibodies.com/uploads/MSDS/7 | 10045.pdf | | |
| Regulatory | For research purposes only | | | |

Related Products

Recommended Secondary Antibodies

Goat Anti Rabbit IgG (H/L) (STAR208...) HRP

North & South Tel: +1 800 265 7376 America Fax: +1 919 878 3751

Fax: +1 919 878 3751 Email: antibody_sales_us@bio-rad.com

Worldwide

Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739

Email: antibody_sales_uk@bio-rad.com

Europe

Tel: +49 (0) 89 8090 95 21

Fax: +49 (0) 89 8090 95 50

Email: antibody_sales_de@bio-rad.com

'M348103:190214'

Printed on 16 Mar 2019