

Datasheet: VPA00892

Description:	RABBIT ANTI CYCLIN D1	
Specificity:	CYCLIN D1	
Format:	Purified	
Product Type:	PrecisionAb Polyclonal	
Isotype:	Polyclonal IgG	
Quantity:	100 μΙ	

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Immunoprecipitation	•			
Western Blotting	•			1/1000

The PrecisionAb label is reserved for antibodies that meet the defined performance criteria within Bio-Rad's ongoing antibody validation programme. Click here to learn how we validate our PrecisionAb range. Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Further optimization may be required dependent on sample type.

Target Species	Human
Species Cross	Reacts with: Mouse
Reactivity	N.B. Antibody reactivity and working conditions may vary between species. Cross reactivity is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information.
Product Form	Purified IgG - liquid
Preparation	Rabbit polyclonal antibody purified by affinity chromatography on immunogen
Buffer Solution	Phosphate buffered saline
Preservative	0.09% Sodium Azide
Stabilisers	<50% Glycerol

Immunogen	Synthetic peptide of human cyclin D1		
External Database Links	UniProt: P24385 Related reagents Entrez Gene: 595 CCND1 Related reagents		
Synonyms	BCL1, PRAD1		
Specificity	Rabbit anti Human cyclin D1 antibody recognizes the G1/S-specific cyclin D1, also known as B-cell CLL/lymphoma 1, CCND1, BCL-1 oncogene and PRAD1 oncogene.		
	The protein encoded by CCND1 belongs to the highly conserved cyclin family, whose members are characterized by a dramatic periodicity in protein abundance throughout the cell cycle. Cyclins function as regulators of CDK kinases. Different cyclins exhibit distinct expression and degradation patterns which contribute to the temporal coordination of each mitotic event. This cyclin forms a complex with and functions as a regulatory subunit of CDK4 or CDK6, whose activity is required for cell cycle G1/S transition. This protein has been shown to interact with tumor suppressor protein Rb and the expression of CCND1 is regulated positively by Rb. Mutations, amplification and overexpression of CCND1, which alters cell cycle progression, are observed frequently in a variety of tumors and may contribute to tumorigenesis (provided by RefSeq, Jul 2008).		
	Rabbit anti Human cyclin D1 antibody detects a band of 36 kDa. The antibody has been extensively validated for western blotting using whole cell lysates.		
Western Blotting	Anti cyclin D1 antibody recognizes a band of approximately 36 kDa in MCF7 cell lysates		
Storage	Store undiluted at -20°C, avoiding repeated freeze thaw cycles		
Guarantee	12 months from date of despatch		
Acknowledgements	PrecisionAb is a trademark of Bio-Rad Laboratories		
Health And Safety Information	Material Safety Datasheet documentation #10049 available at: https://www.bio-rad-antibodies.com/SDS/VPA00892 10049		
Regulatory	For research purposes only		

Related Products

Recommended Secondary Antibodies

Goat Anti Rabbit IgG (H/L) (STAR208...) HRP

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets

North & South Tel: +1 800 265 7376 America Fax: +1 919 878 3751 Worldwide

Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739

Europe

Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50

Email: antibody_sales_us@bio-rad.com

Email: antibody_sales_uk@bio-rad.com

'M429977:240501'

Email: antibody_sales_de@bio-rad.com

Printed on 01 May 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint