

Datasheet: VPA00899

Description:	RABBIT ANTI CASEIN KINASE 2 ALPHA 1
Specificity:	CASEIN KINASE 2 ALPHA 1
Format:	Purified
Product Type:	PrecisionAb Polyclonal
Isotype:	Polyclonal IgG
Quantity:	100 µl

Product Details

Applications	This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <u>www.bio-</u>						
	rad-antibodies.com/proto	Yes	No	Not Determined	Suggested Dilution		
	Western Blotting	-			1/1000		
	how we validate our Pr	's ongoin recisionA ique this d	g antiboc b range . ' loes not n	ly validation progran Where this product ha ecessarily exclude its	nme. Click <u>here</u> to learn		
Target Species	Human						
Species Cross Reactivity	Reacts with: Mouse N.B. Antibody reactivity and working conditions may vary between species. Cross reactivity is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information.						
Product Form	Purified IgG - liquid						
Preparation	Rabbit polyclonal antibo	dy purified	l by affinit	y chromatography on	immunogen		
Buffer Solution	Phosphate buffered salir	ıe					
Preservative Stabilisers	0.09% Sodium Azide <50% Glycerol						
Immunogen	Recombinant protein of	human ca	sein kinas	se 2 alpha 1			

External Database Links	UniProt: <u>P68400</u> <u>Related reagents</u> Entrez Gene: <u>1457</u> CSNK2A1 <u>Related reagents</u>				
Synonyms	CK2A1				
Specificity	Rabbit anti Human casein kinase 2 alpha 1 antibody recognizes casein kinase 2 alpha 1, also known as CK II alpha 3, protein kinase CK2 and casein kinase II alpha 1 subunit. Casein kinase II is a serine/threonine protein kinase that phosphorylates acidic proteins such as casein. It is involved in various cellular processes, including cell cycle control, apoptosis, and circadian rhythm. The kinase exists as a tetramer and is composed of an alpha, an alpha-prime, and two beta subunits. The alpha subunits contain the catalytic activity while the beta subunits undergo autophosphorylation. The protein encoded by this gene represents the alpha subunit. While this gene is found on chromosome 20, a related transcribed pseudogene is found on chromosome 11. Three transcript variants encoding two different proteins have been found for this gene (provided by RefSeq, Jul 2014). Rabbit anti Human casein kinase 2 alpha 1 antibody detects a band of 42 kDa. The antibody has been extensively validated for western blotting using whole cell lysates.				
Western Blotting	Anti casein kinase 2 alpha 1 antibody recognizes a band of approximately 42 kDa in MOLT-4 cell lysates				
Storage	Store undiluted at -20°C, avoiding repeated freeze thaw cycles				
Guarantee	12 months from date of despatch				
Acknowledgements	PrecisionAb is a trademark of Bio-Rad Laboratories				
Health And Safety Information	Material Safety Datasheet documentation #10049 available at: https://www.bio-rad-antibodies.com/SDS/VPA00899 10049				
Regulatory	For research purposes only				

Related Products

Recommended Secondary Antibodies

Goat Anti Rabbit IgG (H/L) (STAR208...) HRP

North & South	Tel: +1 800 265 7376	Worldwide	Tel: +44 (0)1865 852 700	Europe	Tel: +49 (0) 89 8090 95 21
America	Fax: +1 919 878 3751		Fax: +44 (0)1865 852 739		Fax: +49 (0) 89 8090 95 50
	Email: antibody_sales_us@bio-ra	d.com	Email: antibody_sales_uk@bio-rac	l.com	Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets

Printed on 13 Aug 2023

© 2023 Bio-Rad Laboratories Inc | Legal | Imprint