

# Datasheet: VPA00923 BATCH NUMBER 180704

Description:	RABBIT ANTI ROCK1
Specificity:	ROCK1
Format:	Purified
<b>Product Type:</b>	PrecisionAb Polyclonal
Isotype:	Polyclonal IgG
Quantity:	100 μΙ

## **Product Details**

#### **Applications**

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <a href="https://www.bio-rad-antibodies.com/protocols">www.bio-rad-antibodies.com/protocols</a>.

	Yes	No	Not Determined	Suggested Dilution
Immunoprecipitation	•			
Western Blotting	•			1/1000

The PrecisionAb label is reserved for antibodies that meet the defined performance criteria within Bio-Rad's ongoing antibody validation programme. Click <a href="here">here</a> to learn how we validate our PrecisionAb range. Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Further optimization may be required dependent on sample type.

Target Species	Human
Product Form	Purified IgG - liquid
Preparation	Rabbit polyclonal antibody purified by affinity chromatography on immunogen
Buffer Solution	Phosphate buffered saline
Preservative Stabilisers	0.09% Sodium Azide <50% Glycerol
Approx. Protein Concentrations	IgG concentration 0.5 mg/ml
Immunogen	Recombinant protein of human ROCK1

# External Database

Links

**UniProt:** 

Q13464 Related reagents

**Entrez Gene:** 

6093 ROCK1 Related reagents

Specificity

**Rabbit anti Human ROCK1 antibody** recognizes ROCK1, also known as P160ROCK and rho-associated protein kinase 1.

This gene encodes a protein serine/threonine kinase that is activated when bound to the GTP-bound form of Rho. The small GTPase Rho regulates formation of focal adhesions and stress fibers of fibroblasts, as well as adhesion and aggregation of platelets and lymphocytes by shuttling between the inactive GDP-bound form and the active GTP-bound form. Rho is also essential in cytokinesis and plays a role in transcriptional activation by serum response factor. This protein, a downstream effector of Rho, phosphorylates and activates LIM kinase, which in turn, phosphorylates cofilin, inhibiting its actin-depolymerizing activity. A pseudogene, related to this gene, is also located on chromosome 18 (provided by RefSeq, Aug 2015).

Rabbit anti Human ROCK1 antibody detects a band of 160 kDa. The antibody has been extensively validated for western blotting using whole cell lysates.

Western Blotting	Anti ROCK1 antibody recognizes a band of approximately 160 kDa in Jurkat cell lysates
Storage	Store undiluted at -20°C, avoiding repeated freeze thaw cycles
Guarantee	12 months from date of despatch
Acknowledgements	PrecisionAb is a trademark of Bio-Rad Laboratories
Health And Safety Information	Material Safety Datasheet documentation #10049 available at: <a href="https://www.bio-rad-antibodies.com/SDS/VPA00923">https://www.bio-rad-antibodies.com/SDS/VPA00923</a> 10049
Regulatory	For research purposes only

### Related Products

## **Recommended Secondary Antibodies**

Goat Anti Rabbit IgG (H/L) (STAR208...) HRP

North & South Tel: +1 800 265 7376 America Fax: +1 919 878 3751 Worldwide

Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Europe

Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50

Email: antibody\_sales\_us@bio-rad.com

Email: antibody\_sales\_uk@bio-rad.com

Email: antibody\_sales\_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M380274:210507'

Printed on 10 Apr 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint