

Datasheet: BUF033C BATCH NUMBER 156261

Description:	ELISA ULTRABLOCK
Name:	ELISA ULTRABLOCK
Format:	Ready To Use
Product Type:	Accessory Reagent
Quantity:	1000 ml

Product Details

Applications	This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <u>www.bio-rad-antibodies.com/protocols</u> .					
		Yes	No	Not Determined	Suggested Dilution	
	ELISA	•			Neat	
	Where this antibody has r necessarily exclude its us a guide only. It is recomm system using the appropr	e in such iended tha	procedure at the user	es. Suggested workin titrates the antibody	g dilutions are given as	
Product Form	Ready to use - liquid					
Buffer Solution	Phosphate buffered saline	9				
Preservative Stabilisers	0.05% Sodium Azide					
Intended Use	BUF033C is a high performance ELISA blocking buffer for use in all ELISA formats with high background problems. The formulation includes a proprietary fish extract, molecu stabilizers and an antimicrobial agent. It is particularly useful in antigen-down and sandwich ELISA assays with mammalian samples, especially human, bovine and porc serum, where the non-mammalian blocking proteins are less likely to interact with endogenous antibodies in the serum sample.			fish extract, molecular tigen-down and an, bovine and porcine		
	Superior blocking is possible due to the small size of the molecules which block non-specific binding sites on the adsorbed protein and unoccupied regions of the polystyrene plates often sterically inaccessible to traditional blockers. It provides a long-term stable environment for coating antigen or capture antibody. Plates can be blocked at room temperature and stored once dried for up to a year at +4°C.					

2. After incubation, remove the coating solution and wash the plate x2 with wash buffer.
BUF031A can be used for this purpose.

3. Add 300-400ul of BUF033C and incubate for 2-24 hours. Use a volume equal to or greater than the volume of coating solution.

4. After removal of the blocking buffer continue with the assay or dry the plate for long-term storage at +4°C.

References1. Colwell, D.D. et al. (2010) Dicrocoelium dendriticum in cattle from Cypress Hills,
Canada: Humoral response and preliminary evaluation of an ELISA. Vet Parasitol.174:
162-165.

2. Defresne, F. *et al.* (2010) Differential influence of anticancer treatments and angiogenesis on the seric titer of autoantibody used as tumor and metastasis biomarker. <u>Neoplasia 12: 562-570.</u>

3. Zhang, Y. *et al.* (2012) Causes of alternative pathway dysregulation in dense deposit disease. <u>Clin J Am Soc Nephrol. 7 (2): 265-74</u>.

4. Krachudel, J. *et al.* (2013) Luteal insufficiency in bitches as a consequence of an autoimmune response against progesterone? <u>Theriogenology</u>. 79: 1278-83.

5. Yoshino, N. *et al.* (2013) Polymyxins as novel and safe mucosal adjuvants to induce humoral immune responses in mice. <u>PLoS One. 8 (4): e61643.</u>

6. Liao, S. *et al.* (2016) Human placental growth hormone is increased in maternal serum at 20 weeks of gestation in pregnancies with large-for-gestational-age babies. <u>Growth</u> Factors. 34 (5-6): 203-9.

7. Liao, S. *et al.* (2017) Maternal serum IGF-1, IGFBP-1 and 3, and placental growth hormone at 20weeks' gestation in pregnancies complicated by preeclampsia. <u>Pregnancy</u> <u>Hypertens. 10: 149-54</u>.

8. Vanhoutte, L. *et al.* (2017) MRI Assessment of Cardiomyopathy Induced by β 1-Adrenoreceptor Autoantibodies and Protection Through β 3-Adrenoreceptor Overexpression. Sci Rep. 7: 43951.

9. Ravindran, A. *et al.* (2018) C3 Glomerulopathy: Ten Years' Experience at Mayo Clinic. <u>Mayo Clin Proc. 93 (8): 991-1008.</u>

10. Zhang, Y. *et al.* (2020) Factor H Autoantibodies and Complement-Mediated Diseases. <u>Front Immunol. 11: 607211.</u>

11. Wang, Y. *et al.* (2021) Enhanced Bioactivity of a Human GHR Antagonist Generated by Solid-Phase Site-Specific PEGylation. <u>Biomacromolecules. 22 (2): 299-308.</u>

Storage	Store at +4°C.

DO NOT FREEZE

This product should be stored undiluted.

Guarantee	Guaranteed until date of expiry. Please see product label.
-----------	--

Health And Safety Material Safety Datasheet documentation #10379 available at:

Informati	on <u>https</u> 1037		ntibodies.com/SDS/BUF	<u>033C</u>	
Regulato	ry For	research purpose			
Relate	d Products				
Recomm	nended Useful F	Reagents			
ELISA UL ELISA NE 5x ELISA	TRABLOCK (BUF03 TRABLOCK (BUF03 PTUNE ASSAY DILL COATING BUFFER WASH BUFFER (B	<u>3B)</u> JENT (BUF039A) (BUF030A)			
North & South America	Tel: +1 800 265 7376 Fax: +1 919 878 3751 Email: antibody_sales_u:	Worldwide s@bio-rad.com	Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Email: antibody_sales_uk@bio	Europe	Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50 Email: antibody_sales_de@bio-rad.com
To find a b	atch/lot specific data	asheet for this produ	uct, please use our online 'M353956:190618'	search tool at:	bio-rad-antibodies.com/datasheets

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint